


3-D-printed minifactories: Researchers print 'living materials' with bacteria-loaded inks

December 1 2017



3-D printing with an ink that is containing living bacteria. Credit: Bara Krautz /scienceanimated.com

There will soon be nothing that cannot be produced with 3D printing. However, the materials used for this process are still "dead matter" such as plastics or metals.

A group of ETH researchers led by Professor André Studart, Head of the Laboratory for Complex Materials, has now introduced a new 3D

[printing](#) platform that works using living matter. The researchers developed a bacteria-containing ink that makes it possible to print mini biochemical factories with certain properties, depending on which species of bacteria the scientists put in the ink.

"Flink" harnesses the range of bacterial products

Studart's group members and first authors Patrick Rühs and Manuel Schaffner used the bacteria *Pseudomonas putida* and *Acetobacter xylinum* in their work. The former can break down the toxic chemical phenol, which is produced on a grand scale in the chemical industry, while the latter secretes high-purity nanocellulose. This bacterial cellulose relieves pain, retains moisture and is stable, opening up potential applications in the treatment of burns.

The ETH researchers' new printing platform offers numerous potential combinations. In a single pass, the scientists can use up to four different inks containing different species of bacteria at different concentrations in order to produce objects exhibiting several properties.



Bacterial cellulose producing bacteria are printed onto a non-planar surface (silicone face) to create personalized cellulose scaffolds. Credit: Manuel Schaffner and Patrick A. Rühls

The ink is composed of a biocompatible hydrogel that provides structure. The hydrogel itself is composed of hyaluronic acid, long-chain sugar molecules, and pyrogenic silica. The culture medium for the bacteria is mixed into the ink so that the bacteria have all the prerequisites for life. Using this hydrogel as a basis, the researchers can add bacteria with the desired "range of properties" and then print any three-dimensional structure they like.

As viscous as toothpaste

During the development of the bacteria-containing hydrogel, the gel's flow properties posed a particular challenge: the ink must be fluid

enough to be forced through the pressure nozzle. The consistency of the ink also affects the bacteria's mobility. The stiffer the ink, the harder it is for them to move. If the hydrogel is too stiff, however, *Acetobacter* secretes less cellulose. At the same time, the printed objects must be sturdy enough to support the weight of subsequent layers. If they are too fluid, it is not possible to print stable structures, as these collapse under the weight exerted on them. "The ink must be as viscous as toothpaste and have the consistency of Nivea hand cream," is how Schaffner describes the successful formula.

The scientists have named their new printing material "Flink", which stands for "functional living ink", and recently presented the technique in the journal *Science Advances*.


Enormous potential

As yet, the material scientists have not studied the lifespan of the printed minifactories. "As bacteria require very little in the way of resources, we assume they can survive in printed structures for a very long time," says Rühls.

However, the research is still in its initial stages. "Printing using bacteria-containing hydrogels has enormous potential, as there is such a wide range of useful bacteria out there," says Rühls. He blames the bad reputation attached to microorganisms for the almost total lack of existing research into additive methods using bacteria. "Most people only associate bacteria with diseases, but we actually couldn't survive without bacteria," he says. However, the researchers believe their new ink is completely safe. The bacteria they use are all harmless and beneficial.

Sensors for toxic substances and filters for oil spills

In addition to medical and biotechnology applications, the researchers envisage many other potential uses. For example, objects of this kind can be used to study degradation processes or biofilm formation. One practical application might be a bacteria-containing 3D-printed sensor that could detect toxins in drinking water. Another idea would be to create [bacteria](#)-containing filters for use in disastrous oil spills. First, it will be necessary to overcome the challenges of the slow printing time and difficult scalability. *Acetobacter* currently takes several days to produce cellulose for biomedical applications. However, the scientists are convinced that they can further optimise and accelerate the processes.



3-D printing of bacteria into functional complex materials. Credit: Manuel Schaffner and Patrick A. Rühls

The development of special materials for 3D printing is a speciality of

ETH professor André Studart's research group. For example, he and his interdisciplinary team have also developed a printable high-porosity ink made of ceramic, which allows the printing of very lightweight bone-like structures used for energy production.

The study is published in *Science Advances*.

More information: "3D printing of bacteria into functional complex materials," *Science Advances*, [DOI: 10.1126/sciadv.aao6804](https://doi.org/10.1126/sciadv.aao6804) , advances.sciencemag.org/content/3/12/eaao6804

Provided by ETH Zurich

Citation: 3-D-printed minifactories: Researchers print 'living materials' with bacteria-loaded inks (2017, December 1) retrieved 10 April 2024 from <https://phys.org/news/2017-12-d-printed-minifactories-materials-bacteria-loaded-inks.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--