

Highly efficient, high-power short-pulse lasers based on Tm³⁺ doped materials

December 28 2017




Fig.1. Output powers of Tm doped short pulse laser as a function of pulse duration. Credit: University of Electro-Communications

Highly efficient high power short pulse lasers at the wavelength range of 2 μ m based on Tm³⁺ doped materials have a variety of applications such as material processing, LiDAR, mid-infrared OPOs for wavelengths up

to 12 μm , or mid-infrared supercontinuum generation. They also would enable direct coherent soft X-ray generation by high order harmonics generation.

For these applications, a light source with much higher conversion efficiency, average power, pulse energy, and shorter pulse duration is desirable.

Now, Masaki Tokurakawa and colleagues at Institute for Laser Science, University of Electro-communications, Tokyo, have developed novel 2 μm high power short pulse lasers based on new technique of fiber [laser](#) in-band pumping and Kerr-lens mode locking with a new Tm doped gain medium provided from University of Hamburg, Dr. Christian Kränkel.

Pulses as short as 115 fs and output power of 420 mW with conversion efficiency of $\sim 20\%$ were obtained. Compared with prior SESAM mode-locked Tm doped lasers pumped by Ti:Al₂O₃ lasers, this new method enabled generation of much higher output power and shorter pulse duration with higher conversion efficiency (Fig.1).

This is the first Kerr-lens mode-locking at a wavelength of 2 μm and it opens up possibilities for new highly efficient [high power](#) short pulse lasers at 2 μm . In the future, sub 50 fs [pulse](#) generation at this [wavelength range](#) would be possible.

More information: Kerr-lens mode-locked Tm³⁺:Sc₂O₃ single-crystal laser in-band pumped by an Er:Yb fiber MOPA at 1611 nm, *Optics Letters*, 42, 3185-3188 (2017).

Eisuke Fujita et al. High power narrow-linewidth linearly-polarized 1610 nm Er:Yb all-fiber MOPA, *Optics Express* (2016). [DOI: 10.1364/OE.24.026255](#)

Provided by University of Electro Communications

Citation: Highly efficient, high-power short-pulse lasers based on Tm³⁺ doped materials (2017, December 28) retrieved 9 April 2024 from <https://phys.org/news/2017-12-highly-efficient-high-power-short-pulse-lasers.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.