


# Laser-driven technique for creating fusion is now within reach, say researchers

December 13 2017

---



Credit: ORNL

A laser-driven technique for creating fusion that dispenses with the need for radioactive fuel elements and leaves no toxic radioactive waste is now within reach, say researchers.

Dramatic advances in powerful, high-intensity lasers are making it viable for scientists to pursue what was once thought impossible: creating [fusion](#) energy based on hydrogen-boron reactions. And an Australian physicist is in the lead, armed with a patented design and working with international collaborators on the remaining scientific challenges.

In a paper in the scientific journal *Laser and Particle Beams* today, lead author Heinrich Hora from the University of New South Wales in Sydney and international colleagues argue that the path to hydrogen-boron fusion is now viable, and may be closer to realization than other approaches, such as the deuterium-tritium fusion approach being pursued by U.S. National Ignition Facility (NIF) and the International Thermonuclear Experimental Reactor under construction in France.

"I think this puts our approach ahead of all other fusion energy technologies," said Hora, who predicted in the 1970s that fusing hydrogen and boron might be possible without the need for [thermal equilibrium](#). Rather than heat fuel to the temperature of the Sun using massive, high-strength magnets to control superhot plasmas inside a doughnut-shaped toroidal chamber (as in ITER), hydrogen-boron fusion is achieved using two powerful lasers in rapid bursts, which apply precise non-linear forces to compress the nuclei together.

Hydrogen-boron fusion produces no neutrons and, therefore, no radioactivity in its primary reaction. And unlike most other sources of power production - like coal, gas and nuclear, which rely on heating liquids like water to drive turbines - the energy generated by hydrogen-boron fusion converts directly into electricity. But the downside has always been that this needs much higher temperatures and densities - almost 3 billion degrees Celsius, or 200 times hotter than the core of the Sun.

However, dramatic advances in laser technology are close to making the

two-laser approach feasible, and a spate of recent experiments around the world indicate that an 'avalanche' [fusion reaction](#) could be triggered in the trillionth-of-a-second blast from a petawatt-scale laser pulse, whose fleeting bursts pack a quadrillion watts of power. If scientists could exploit this avalanche, Hora said, a breakthrough in proton-boron fusion was imminent.

"It is a most exciting thing to see these reactions confirmed in recent experiments and simulations," said Hora, an emeritus professor of theoretical physics at UNSW. "Not just because it proves some of my earlier theoretical work, but they have also measured the laser-initiated chain reaction to create one billion-fold higher energy output than predicted under thermal equilibrium conditions."

Together with 10 colleagues in six nations - including from Israel's Soreq Nuclear Research Centre and the University of California, Berkeley - Hora describes a roadmap for the development of hydrogen-boron fusion based on his design, bringing together recent breakthroughs and detailing what further research is needed to make the reactor a reality.

An Australian spin-off company, HB11 Energy, holds the patents for Hora's process. "If the next few years of research don't uncover any major engineering hurdles, we could have prototype reactor within a decade," said Warren McKenzie, managing director of HB11.

"From an engineering perspective, our approach will be a much simpler project because the fuels and waste are safe, the reactor won't need a heat exchanger and steam turbine generator, and the lasers we need can be bought off the shelf," he added.

**More information:** H. Hora et al, Road map to clean energy using laser beam ignition of boron-hydrogen fusion, *Laser and Particle Beams* (2017). [DOI: 10.1017/S0263034617000799](https://doi.org/10.1017/S0263034617000799)

Provided by University of New South Wales

Citation: Laser-driven technique for creating fusion is now within reach, say researchers (2017, December 13) retrieved 25 April 2024 from <https://phys.org/news/2017-12-laser-driven-technique-fusion.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.