

Why we shouldn't be so quick to demonise bats

December 22 2017, by Justin Welbergen And Kyle Armstrong



Credit: Justin A. Welbergen, CC BY-NC-SA

Australian health authorities regularly issue <u>public reminders</u> not to touch bats because they can host Australian Bat Lyssavirus (ABLV). This type of health education is necessary because it reduces human exposure to bat-borne diseases. However, subsequent <u>sensationalist</u> <u>media reporting</u> risks <u>demonising bats</u>, which increases human-wildlife conflict and <u>poses barriers to conservation</u>.




Bats are remarkable native creatures of key ecological and economic importance. We urgently need more matter-of-fact style reporting around the risks of bat-borne diseases to avoid <u>vilification</u> and <u>persecution</u> of these unappreciated mammals.

Australia's weird and wonderful bats

Australia has <u>81 bat species</u>, from nine families. They comprise the second-largest group of mammals after marsupials (159 species). They range in size from the little-known <u>northern pipistrelle</u> that weighs less than three grams and ranks amongst the smallest <u>bats</u> in the world, to the <u>black flying-fox</u> that can weigh more than a kilogram and is among the world's largest.

Bats play many different roles in Australian ecosystems. The <u>southern</u> <u>myotis</u> or "fishing bat", for example, has long toes that it uses to rake up small fish and invertebrates from rivers, lakes and ponds. The <u>golden-tipped bat</u> delicately plucks spiders from their webs, while the <u>ghost bat</u> feeds on large insects, rodents, birds, and even other bats. These are examples of "<u>microbats</u>"—species that use <u>echolocation</u> to find their way in darkness and detect prey.





Face of an eastern tube-nosed fruit bat (or 'Shrek bat'), a solitary bat with long



tubular nostrils that are thought to prevent fruit juices from running up its nose. Credit: Justin Welbergen

Australia is also home to nine "megabats"—species that rely on large eyes and a keen sense of smell to find pollen, nectar, or fruit. The <u>common blossom bat</u>, for example, is a mouse-sized fruit bat with a very long tongue for feeding on nectar; the <u>eastern tube-nosed fruit bat</u> is a solitary bat with long tubular nostrils that are thought to prevent fruit juices from running up its nose; and the <u>little red flying fox</u> is adapted for long-distance flight, travelling thousands of kilometres across the Australian landscape in search of food.

Bats are largely nocturnal and inconspicuous, except for those flyingfoxes that sometimes appear in large numbers in urban environments where they can be cause for <u>much frustration and conflict</u>.

All bats are vulnerable to a range of human threats, including the clearing of foraging areas and the loss or disturbance of roosts. Thirteen of Australia's <u>bat species</u> are now listed as "threatened" under our national conservation legislation. Australia's most recent extinction was a bat: the <u>Christmas Island pipistrelle</u> winked out of existence forever in 2009 following a <u>sluggish federal government response</u> to calls for urgent conservation action.

Why are bats important?

Bats are important in two ways. First, each species <u>has its own value</u> as a part of Australia's natural and cultural heritage. They are fragile creatures, but tough enough to survive and thrive in the harsh Australian bush—if they are given the chance.





A selection of Australia's bat diversity (Top row from left: grey-headed flyingfox; orange leaf-nosed bat; common blossom bat; southern myotis; Bottom row: golden-tipped bat; eastern horseshoe bat; common sheath-tailed bat; ghost bat). Credit: Justin Welbergen (grey-headed flying-fox, eastern horseshoe bat); Nicola Hanrahan (ghost bat); Bruce Thomson (golden-tipped bat); Steve Parish & Les Hall for remainder of species

Second, microbats provide valuable ecosystem services because many are voracious predators of insects, <u>including many agricultural and</u> <u>forestry pests</u>. Megabats, meanwhile, provide <u>long-distance pollination</u> <u>and seed-dispersal services</u>, helping to maintain the integrity of Australia's increasingly fragmented natural ecosystems.

Australian bat lyssavirus



Some Australian bats are hosts for <u>Australian bat lyssavirus (ABLV)</u> that can cause a <u>rabies-like disease</u> in humans and potentially pets. Since its discovery in 1996, there have been three human deaths from ABLV in Australia.

The virus is rare, and its prevalence among bats is thought to be less than 1%. But it is more common among sick, orphaned, or injured bats – that are in turn more likely to end up in hands of the public.

A rabies vaccine has been around <u>since the time of Louis Pasteur</u>, and when combined with proper wound management and prompt medical care, is <u>very effective in preventing the disease</u>. Rabies vaccine that is given after exposure to ABLV, but before a person becomes unwell, can still prevent the disease. But once a person develops the disease there is no effective treatment.



Bats such as the grey-headed flying-fox (left) and the Christmas Island flyingfox (right) provide expensive pollination services for free. Credit: Justin Welbergen (left); Carol de Jong (right)



"No touch, no risk"

As long as we do not touch bats we are not at risk. Yet despite this simple message, many people still <u>handle sick or injured bats</u>, even though this is the <u>major cause of potential exposures to ABLV</u>.

Humans are not exposed to ABLV when bats fly overhead or feed or roost in gardens. Bat urine and faeces are not considered to be infectious, and tank or surface water contaminated with these substances is also not a threat.

The primary ABLV transmission route is through bites or scratches, bringing infected bat saliva into direct contact with the eyes, nose or mouth, or with an open wound. Therefore, the best protection by far is to avoid handling bats.

If you do get scratched or bitten by a bat, the <u>Australian Department of</u> <u>Health recommends</u> that you immediately wash the wound thoroughly with soap and water for at least five minutes, apply an antiseptic with antiviral action, and seek medical attention.






Image of Australian bat lyssavirus. The finger-like projections are the virus, as it is shown budding off from a cell. Credit: Electron Microscopy Unit, Australian Animal Health Laboratory, CSIRO

Prevention is better than cure, so people should never handle bats (or other wildlife) unless they are trained, vaccinated, and wearing appropriate protective gear. If you find an injured or sick bat, the best thing to do is to contact your local wildlife agency or veterinarian.

Reporting without the demonisation

Bats already have a <u>dark reputation</u> in folklore, myths, and modern



culture. This is exacerbated by negative media attention following <u>public</u> <u>health warnings</u> and <u>health research</u>.

We strongly encourage a more matter-of-fact style of reporting around the risks from bat-borne diseases. You are <u>much more likely to be killed</u> <u>by lightning or by falling out of bed</u> than by a bat.

Granted, the risks posed by bat-borne diseases are relatively new to most of the public, but more <u>nuanced framing</u> can effectively support both public health and wildlife conservation goals. So while you remember to <u>slip-slop-slap</u>, be <u>croc-wise</u> and <u>snake aware</u>, and <u>wear gloves when</u> <u>gardening</u>, you should also add "don't touch bats" to your common-sense repertoire.

This article was originally published on <u>The Conversation</u>. Read the <u>original article</u>.

Provided by The Conversation

Citation: Why we shouldn't be so quick to demonise bats (2017, December 22) retrieved 22 May 2024 from <u>https://phys.org/news/2017-12-shouldnt-quick-demonise.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.