


Using ALMA to solve the sun's coronal heating mystery

January 10 2018, by Jon Cartwright



At the outermost edges of the sun's atmosphere the temperature rises to several million degrees Celsius. Credit: Flickr/ NASA Goddard Space Flight Center

Few would be surprised to learn that the sun is very, very hot. At its surface, the temperature is several thousand degrees Celsius.

But you might think that, like a fire, the temperature drops as you move

away from the surface. In fact, way out in the sun's corona (the outermost part of its atmosphere) the temperature rises swiftly – to several million degrees. The reason is a mystery, but now some scientists believe they're on the verge of finding out.

Dr. Sven Wedemeyer of the University of Oslo in Norway is one such scientist. He is working on a project called SolarALMA, funded by the EU's European Research Council (ERC) to analyse groundbreaking data from the Atacama Large Millimeter/submillimeter Array (ALMA), an expansive radio observatory in northern Chile's Atacama Desert.

Nowadays, there are many theoretical ideas for how so much heat ends up in the corona. Some scientists believe the heat is transported there by acoustic waves, while others believe the heat is generated by the snapping of [magnetic field lines](#) – a similar phenomenon to that behind solar flares.

But no one knows if just one of these ideas is responsible, or if they are all involved in varying amounts.


"Today, the question is not how the heat gets there, but how exactly?" explained Dr. Wedemeyer. "Which mechanism contributes the most to the deposition of energy?"

Rainbow onion

Consisting of 66 radio antennas spread out over up to 16 kilometres, ALMA can study the sun's various wavelengths – similar to the different colours in visible light – of heat radiation at unprecedented resolution. In principle, each of these colours give an insight into the structure of the sun at different depths, like peeling away the layers of an onion.

Dr. Wedemeyer's job is to devise the computational tools to convert

ALMA's raw data into this sort of 3-D temperature map. Similar tools have been developed before, for the study of nebulae and other astrophysical entities, but they have only been required to track changes over long periods of time.



The SolarALMA project is building thermal maps of the sun to better understand how the outer corona gets so hot. Credit: Sven Wedemeyer

For an object like the sun, which changes minute by minute, the task of developing the tools is a lot harder. But Dr. Wedemeyer points out that the challenge brings a greater reward, as he and his colleagues will be able to generate not just solar images, but solar movies.

From data collected in December 2016 and April last year, the researchers are using their tools to create their first images and movies of fibrous heat structures changing in the sun's outer atmosphere.

"It's difficult to say exactly when we will make a breakthrough, but it will come," said Dr. Wedemeyer. "This is the best shot we've had."

Still, ALMA is not the only window onto the coronal heating mystery. Orbiting spacecraft such as NASA's Solar Dynamics Observatory and STEREO also have the potential to delve into the structure of the sun's outer layers, albeit by probing different wavelengths.

Lost in translation

The challenge with these observations is that they cannot easily be compared with computational models of the sun. For instance, an observation might record the intensity of radiation, whereas a [computational model](#) might work in terms of temperature and density.

Professor Ineke De Moortel of the University of St Andrews in the UK is leading an ERC-funded project called CORONALDOLLS to translate between these parameters. Her goal is to uncover unique signatures within the computational models that, if borne out in the observational data, would provide evidence for a certain heating mechanism.

"If we find observable properties, we can go and look for them," she said. "If not, and it turns out that different heating mechanisms would actually look the same in the observations, then we know we need to develop a different approach."

Finding a telltale signature of a heating mechanism is not easy, but Prof. De Moortel takes inspiration from a more terrestrial-sounding field – seismology. Just as seismic waves from earthquakes can help us understand the inner layers of the Earth, she explains, so waves observed in the sun's atmosphere can impart information about its structure.

Being just two years into her project, Prof. De Moortel does not yet have

any concrete answers. But her hopes are high.

"It's like a big puzzle," she said. "We keep adding small pieces all the time."

Provided by Horizon: The EU Research & Innovation Magazine

Citation: Using ALMA to solve the sun's coronal heating mystery (2018, January 10) retrieved 27 April 2024 from <https://phys.org/news/2018-01-alma-sun-coronal-mystery.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.