

Astronauts conducting metallurgical experiments aboard ISS

January 10 2018



This image shows how a metal alloy could look like as it solidifies, using a transparent organic mixture as a stand-in for metals. X-rays allow us to peer into the casting process but ideally researchers should look at the process under normal lighting. Unfortunately, metals are not transparent. Credit: E-USOC



Astronauts on the International Space Station have begun running an experiment that could shine new light on how metal alloys are formed.

How humanity has mastered metallurgy is synonymous with progress, with historians labelling periods such as the Bronze Age and the Iron Age.

Most metals used today are mixtures $- \frac{\text{alloys}}{\text{alloys}} - \text{of different metals}$, combining properties to make lighter and stronger materials.

Like baking a cake, the result depends on more than just adding the right ingredients: casting is influenced by furnace temperatures and the cooling process. Some metals are even cast in hypergravity centrifuges in the quest for the perfect alloy.

Alloys are everywhere now, from the smartphone in your pocket to aircraft. Making lighter, resistant, self-healing or even supple alloys obviously benefits industry and consumers alike.

Solving the problem of transparency

It is no wonder that we would love to peer into the inner workings of <u>metal</u> casting to see what is happening with our own eyes. Ideally, we should observe the process without gravity adding its extra layer of complexity. The problem, of course, is that metals are not transparent.

ESA is running X-ray experiments on suborbital rockets but these are limited to 13 minutes of weightlessness at a time and X-rays do not reveal all.





The transparent alloy furnace is running a first batch of mixtures succinonitrile, D-camphor and neopentyl glycol, contained inside a glass-wall cartridge at an agonisingly slow pace: they take upwards of two days to travel 1 mm, but the experiment runs on its own for several weeks. The goal is to shine new light on how metal alloys are formed. Credit: E-USOC

Instead, researchers looked at a stand-in for metals and found organic materials, carefully chosen to be transparent while solidifying like a metal.

A first batch of mixtures arrived at the Space Station on 18 December: succinonitrile, D-camphor and neopentyl glycol were delivered by a Dragon spacecraft inside a glass-wall cartridge together with a miniature toaster. This Bridgman furnace is similar to a conveyor-belt oven found in factories or fast-food restaurants. The cartridges pass through the heating element at an agonisingly slow pace: they take upwards of two



days to travel 1 mm, but the experiment will run on its own for several weeks.

Melting plastic

An astronaut set up the Transparent Alloy furnace inside ESA's selfcontained glovebox for safety and inserted the first cartridge.

A hard disk is recording the microscopic view from two video cameras, while operators at the Spanish control centre in Madrid can highlight different features using an array of coloured lights.

These experiments into fundamental phenomena are allowing scientists to understand and then control processes. Who knows what amazing metals might be created? The next metal age might just be something we can't imagine right now.





While the mixtures go through the furnace, a hard disk records the microscopic view from two video cameras, while operators at the Spanish control centre in Madrid can highlight different features using an array of coloured lights. Credit: E-USOC

Provided by European Space Agency

Citation: Astronauts conducting metallurgical experiments aboard ISS (2018, January 10) retrieved 28 July 2024 from <u>https://phys.org/news/2018-01-astronauts-metallurgical-aboard-iss.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.