

How climate change alters plant growth

January 15 2018



Arabidopsis thaliana is often used as a model organism. Credit: Markus Scholz / MLU

Global warming affects more than just plant biodiversity—it even alters the way plants grow. A team of researchers at Martin Luther University Halle-Wittenberg (MLU) joined forces with the Leibniz Institute for Plant Biochemistry (IPB) to discover which molecular processes are

involved in plant growth. In *Current Biology*, the group presents its latest findings on the mechanism controlling growth at high temperatures. In the future, this could help breed plants that are adapted to global warming.

Plants react much more sensitively to fluctuations in [temperature](#) than animals. They are also unable to seek out warmer or cooler locations. "When temperatures rise, plants grow taller in order to cool themselves off. Their stalks become taller and their leaves become narrower and grow farther apart. Yet, this makes the plant more unstable overall," explains Professor Marcel Quint, an agricultural scientist at MLU. This is noticeable, for example, during grain harvesting. Unstable plants bend faster in the rain and generally produce less biomass. There is also a reduction in the proportion of key substances, like proteins, that can be stored in the grain kernel.

"While the correlation between temperature and plant growth at the macrolevel is relatively well understood, there are still many open questions at the molecular level. We are just starting to understand how plants detect the changes in temperature and translate this into specific reactions," Quint says. Earlier studies have shown that the protein PIF4 directly controls [plant growth](#) and that this protein is also dependent on temperature. When it's cold, PIF4 is less active—in other words the plant doesn't grow. At higher temperatures, PIF4 activates growth-promoting genes and the plant grows taller. "Up until now it had been unclear how the plant knows when to activate PIF4 and how much should be released. There were large gaps in our knowledge about the exact signalling pathway of temperature-controlled growth," says Quint.

That is what the research group in Halle has now discovered. They investigated the growth behaviour of seedlings of the model plant thale cress (*Arabidopsis thaliana*). Normally, its seedlings form short stems at 20 degrees Celsius (68 ° Fahrenheit). These stems become considerably

longer at 28 degrees (82.4 ° F). In the lab, the scientists identified plants with a gene defect which still only formed short stems at 28 degrees. Then they searched for possible reasons for this lack in growth. They discovered a hormone that activates the PIF4 gene at high temperatures, thus producing the protein. This reaction did not occur in the mutated plants. "We have now discovered the role of this special hormone in the signalling pathway and have found a mechanism through which the [growth](#) process is positively regulated at higher temperatures," Quint explains. The study is the culmination of a research project that was funded by the Deutsche Forschungsgemeinschaft (DFG, German Research Foundation) until the end of 2016 and which now will continue to receive funding from the DFG in a follow-up project.

The findings of the research group from Halle may help to breed plants in the future that remain stable even at [high temperatures](#) and are able to produce sufficient yields. To achieve this, the findings from the basic research on model plants first have to be transferred to cultivated [plants](#) like cereals.

More information: Carla Ibañez et al, Brassinosteroids Dominate Hormonal Regulation of Plant Thermomorphogenesis via BZR1, *Current Biology* (2018). [DOI: 10.1016/j.cub.2017.11.077](https://doi.org/10.1016/j.cub.2017.11.077)

Provided by Martin-Luther-Universität Halle-Wittenberg

Citation: How climate change alters plant growth (2018, January 15) retrieved 26 April 2024 from <https://phys.org/news/2018-01-climate-growth.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.