


Magnetic liquids improve energy efficiency of buildings

January 16 2018



A prototype of the innovative smart windows for controlled shading and solar thermal energy harvesting is presented by PhD student Benjamin Heiz from the research group of Lothar Wondraczek. Credit: Jan-Peter Kasper/FSU Jena

Climate protection and the reduction of carbon dioxide emissions have been on top of global development agendas. Accordingly, research and

development projects have been conducted on national and international levels, which aim for the improvement of the CO₂-footprint in diverse processes. Apart from particularly energy-intensive sectors of the industry, the building sector in particular is among the biggest CO₂-emitters: From residential homes, manufacturing facilities and storage depots to big commercial buildings, about 40 percent of the energy consumption within the EU are due to the heating, cooling, air conditioning and lighting of buildings.

Considering next-generation smart windows and façade devices, one aspect of this problem is addressed in the research project Large-Area Fluidic Windows (LaWin) which has been coordinated at the Friedrich Schiller University Jena, Germany, since 2015. A new type of such smart windows was now presented in the upcoming issue of 'Advanced Sustainable Systems'. In their paper 'Large-Area Smart Window with Tunable Shading and Solar-Thermal Harvesting Ability Based on Remote Switching of a Magneto-Active Liquid' the Jena materials researchers introduce prototypes of a [window](#) that changes its light permeability at the touch of a button, and, at the same time, can be used for solar-thermal energy harvesting.

Liquids in windows and façades

"Our project's key feature is the use of liquids in windows and façades, for example, as heat carriers or to enable additional functions," explains Lothar Wondraczek, the project's coordinator. "To this end we develop new glass materials, into which large-area channel structures are integrated. These are used for circulating functional fluids."

In latest prototypes, the liquid is loaded with the nanoscale magnetic iron particles. These can be extracted from the liquid with the help of a magnet. Vice versa, they can be re-suspended by simply switching-off the magnet. "Depending on the number of the [iron particles](#) in the liquid,

the liquid itself takes on different shades of grey, or it will even turn completely black," Wondraczek explains. "Then, it becomes possible to automatically adjust the incidence of light, or to harvest solar heat which can then be put to further use within the building." The efficiency in terms of heat gain per area is comparable with that of state-of-the-art solar thermal facilities. But unlike those, the present system can be readily integrated in a vertical façade. Switching between on and off – the release or capture of particles – happens in a separate tank. An electrical connection at the windows is not necessary.

Indoor air conditioning, tunable shading and harvesting of solar heat

"The greatest advantage of large-scale fluidic windows is that they can substitute [air conditioning](#) systems, daylight regulation systems and for instance warm water processing," stresses Wondraczek, who holds the chair of Glass Chemistry at the University of Jena. Developing cost-effective large-size window glass modules is key. On the one hand the glass elements need to include the channels, on the other hand they maintain their performance over the whole lifespan of the building. Finally, they have to provide the ability for integration with standard window manufacture technologies in frames of double or triple glazings. With the present prototypes which were manufactured on a scale of around 200 square meters, the research consortium demonstrated that those requirements can be fulfilled.

Over the period of 2015-2017, the project received a grant of 5.9 million Euros from the European Union within the framework of the Horizon-2020-Programme for Industrial Leadership. A further 2.2 million Euro have been added by eleven industry partners who have been members of the consortium. After the end of the first funding period, commercialisation of first applications is planned for this year.

More information: Benjamin P. V. Heiz et al. A Large-Area Smart Window with Tunable Shading and Solar-Thermal Harvesting Ability Based on Remote Switching of a Magneto-Active Liquid, *Advanced Sustainable Systems* (2017). [DOI: 10.1002/adss.201700140](https://doi.org/10.1002/adss.201700140)

Provided by Friedrich Schiller University of Jena

Citation: Magnetic liquids improve energy efficiency of buildings (2018, January 16) retrieved 9 April 2024 from <https://phys.org/news/2018-01-magnetic-liquids-energy-efficiency.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.