

Primordial oceans had oxygen 250 million years before the atmosphere

January 25 2018, by Valerie Coit



Credit: University of Minnesota

Research by a University of Minnesota Duluth (UMD) graduate student Mojtaba Fakhraee and Associate Professor Sergei Katsev has pushed a major milestone in the evolution of the Earth's environment back by about 250 million years. While oxygen is believed to have first accumulated in the Earth atmosphere around 2.45 billion years ago, new research shows that oceans contained plentiful oxygen long before that



time, providing energy-rich habitat for early life. The results of the two UMD scientists and their co-author Sean Crowe from the University of British Columbia have been published in the peer-reviewed journal *Science Advances*.

"When tiny bacteria in the ocean began producing <u>oxygen</u>, it was a major turning point and changed the chemistry of the earth," explained Katsev. "Our work pinpoints the time when the ocean began accumulating oxygen at levels that would substantially change the ocean's chemistry and it's about 250 million years earlier than what we knew for the atmosphere. That is about the length of time from the first appearance of dinosaurs till today."

The results are important, according to the authors, because they deepen our understanding of conditions on Earth when all life consisted of singlecell microbes and their metabolisms that we know today were only just emerging.

"This helps us theorize not only about early life on Earth but also about the signatures of <u>life</u> that we might find on other planets," said Fakhraee.

The study conclusions are the result of creating a detailed computer model of chemical reactions that took place in the ocean's sediments. Researchers focused on the cycle of sulfur and simulated the patterns in which three different isotopes of sulfur could combine in ancient sedimentary rocks. By comparing the model results to a large amount of data from ancient rocks and seawater, they were able to determine how sulfur and <u>oxygen levels</u> were linked and constrained the concentrations of oxygen and sulfate in ancient seawater.

"We're trying to reconstruct the functioning of <u>early life</u> and early environments," said Katsev. "No one was really looking at how the isotopic signals that were being generated in the atmosphere and the



ocean were being transformed in the sediment. But all that we can observe now is what has been preserved as rocks, and the isotopic patterns could have been modified in the process."

Much of this research builds on the past work of the team members, and the modeling results help put together some of the observations that seemed contradictory. "We've resolved some puzzles in the historical timeline and contradictions that existed in the sulfur isotope records," said Fakhraee.

More information: Mojtaba Fakhraee et al, Sedimentary sulfur isotopes and Neoarchean ocean oxygenation, *Science Advances* (2018). DOI: 10.1126/sciadv.1701835

Provided by University of Minnesota

Citation: Primordial oceans had oxygen 250 million years before the atmosphere (2018, January 25) retrieved 30 April 2024 from <u>https://phys.org/news/2018-01-primordial-oceans-oxygen-million-years.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.