

## Scientists create new material for nuclear reactors

January 30 2018



Valentin Borisevich, professor at MEPHI's Department of molecular physics Credit: National Research Nuclear University MEPhI

Researchers from the National Research Nuclear University MEPhI (Russia) have conducted a study on the use of isotopically modified



molybdenum as an alternative to zirconium alloys from which nuclear fuel-element casings are created. They have proved that this can enhance the safety of nuclear reactors. The study is published in the scientific journal Chemical Engineering Research and Design.

Today, zirconium alloys are the main material used in the fuel-element casings containing uranium oxide pellets. The material features high erosion and corrosion resistance in water, along with a low thermal neutron capture cross-section (the property characterizing the probability of chemical interaction between neutron particles and the atom nucleus).

However, zirconium alloys are also known to have several drawbacks, including the generation of heat in water and the production of hydrogen, which accelerates the degradation of the fuel-element casings. This occurs during zirconium-steam reactions, which take place when temperatures reach above 700 degrees Celsius, which can be very dangerous in emergency situations at water-cooled nuclear power stations. A zirconium-steam reaction is believed to have been one of the causes of the Fukushima Daiichi nuclear disaster in 2011.

Nuclear physicists around the world have long discussed the possibility of replacing zirconium <u>alloys</u> with a refractory molybdenum alloy casing, which, like zirconium, has high <u>corrosion resistance</u>, but also higher thermal conductivity. The main drawback to the material has traditionally been its expense, which requires an increase in the degree of the uranium's enrichment, and thus makes the technological process much more expensive.

However, Russian scientists believe they may have found a solution – change the natural composition of molybdenum isotopes, using centrifugal separation technology. Moreover it allows to create an alloy with thermal neutron capture cross-section figures similar to or even smaller than that of <u>zirconium</u>.



Valentin Borisevich, professor at MEPHI's Department of molecular physics, told that the university's study has provided researchers with "all the information necessary for the design of a separation system for the large-scale production of isotopically modified molybdenum on the basis of existing Russian technology for the separation of non-uranium isotopes in gas centrifuges."

If introduced, the technology could lead to substantial increases in nuclear power plant safety.

The university's study was made possible thanks to support from the Russian Foundation for Basic Research, and in cooperation with the department of engineering physics at the Tsinghua University in Beijing, China.

**More information:** V.D. Borisevich et al. Cascade design for isotopically modified molybdenum as an alternative to zirconium alloys, *Chemical Engineering Research and Design* (2017). DOI: 10.1016/j.cherd.2017.10.018

## Provided by National Research Nuclear University

Citation: Scientists create new material for nuclear reactors (2018, January 30) retrieved 16 June 2024 from <u>https://phys.org/news/2018-01-scientists-material-nuclear-reactors.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.