

# **Superconducting X-ray laser takes shape in Silicon Valley**

January 19 2018



The first cryomodule for LCLS-II arrived at SLAC on January 19, 2018. Linked together and chilled to nearly absolute zero, 37 of these segments will accelerate electrons to almost the speed of light and power LCLS-II, an upgrade to the nation's only X-ray free-electron laser facility. Credit: Dawn Harmer/SLAC National Accelerator Laboratory



An area known for high-tech gadgets and innovation will soon be home to an advanced superconducting X-ray laser that stretches 3 miles in length, built by a collaboration of national laboratories. On January 19, the first section of the machine's new accelerator arrived by truck at SLAC National Accelerator Laboratory in Menlo Park after a crosscountry journey that began in Batavia, Illinois, at Fermi National Accelerator Laboratory.

These 40-foot-long sections, called cryomodules, are building blocks for a major upgrade called LCLS-II that will amplify the performance of the lab's X-ray free-electron laser, the Linac Coherent Light Source (LCLS).

"It required years of effort from large teams of engineers and scientists in the United States and around the world to make the arrival of the first cryomodule at SLAC a reality," says John Galayda, SLAC's project director for LCLS-II. "And it marks an important step forward as we construct this innovative machine."

Inside the cryomodules, strings of super-cold niobium cavities will be filled with electric fields that accelerate electrons to nearly the speed of light. This superconducting technology will allow LCLS-II to fire X-rays that are, on average, 10,000 times brighter than LCLS in pulses that arrive up to a million times per second.

With these new features, scientists have ambitious research goals: examine the details of complex materials with unparalleled resolution, reveal rare and transient chemical events, study how biological molecules perform life's functions, and peer into the strange world of quantum mechanics by directly measuring the internal motions of individual atoms and molecules.

Fermi National Accelerator Laboratory is building half of the cryomodules for the LCLS-II laser upgrade, and Thomas Jefferson



National Accelerator Facility in Newport News, Virginia, will build the other half. Fermilab, Jefferson Lab and SLAC are Department of Energy (DOE) Office of Science laboratories.

After constructing the cryomodules, Fermilab and Jefferson Lab are testing each one extensively before the vessels are packed and shipped by truck. Their new home in California will be the tunnel formerly occupied by a section of SLAC's 2-mile-long accelerator, located 30 feet below ground. In tribute to their Bay Area destination, the cryomodules are painted "international orange" to match the Golden Gate Bridge.

## **A Super-Cool Refrigeration System**

SLAC engineers and their partners are building a cryoplant refrigerator—a powerful chilling plant that will contain the compressors, pumps and helium needed to keep the accelerator at 2 degrees Celsius above absolute zero (or minus 456 degrees Fahrenheit), about the same temperature as outer space.

At these low temperatures, the accelerator becomes what's known as superconducting, able to boost electrons to high energies with minimal energy loss as they travel through the cavities. By the time the electrons pass through all 37 cryomodules, they'll be traveling at nearly the speed of light.

Once the electrons reach such high speeds, they pass through a series of strong magnets, called undulators, which bounce the electron beam back and forth to generate an X-ray laser beam that's much brighter than the current LCLS, moving from 120 pulses per second to 1 million pulses per second - far beyond any other facility in the world.

### How a Superconducting Accelerator Works



The segments of the new accelerator at SLAC rely on what's called superconducting radiofrequency technology. Microwave power generated above ground is fed through pipes called waveguides into the underground cryomodules. There, the microwaves power an oscillating electric field that resonates inside niobium cavities and eventually builds in strength to a very high voltage.

When the oscillating voltage in each cavity is timed to the rhythm of electron bunches passing through the cavities, the electrons get a boost of energy and accelerate.



Cutaway image of a cryomodule. Each large metal cylinder contains layers of insulation and cooling equipment, in addition to the cavities that will accelerate electrons. The cryomodules are fed liquid helium from an aboveground cooling plant. Microwaves reach the cryomodules through waveguides connected to a system of solid-state amplifiers. Credit: SLAC National Accelerator Laboratory



"If a tuning fork—another type of resonator—had the same performance quality as one of these superconducting cavities, it would ring for well over a year," says Marc Ross, a SLAC accelerator physicist who is leading the development of the cryomodules. "Superconductivity allows the cavities to accelerate the electrons in a steady, continuous wave without interruption, and with extremely high efficiency."

The element niobium is a common material for superconductors, and the cavities are made with an extremely pure version to minimize any electrical loss. Eight niobium cavities are bolted together in a string inside each cryomodule. They're assembled like "a ship in a bottle," Ross says. The cavities are surrounded by three nested layers of cooling equipment, with each successive layer lowering the temperature until it reaches nearly absolute zero.

### **The Next Generation of X-Ray Lasers**

The system that keeps the cavities cold has been used to cool magnets that steer particles in colliders, including the Large Hadron Collider at European Organization for Nuclear Research (CERN) and Fermilab's Tevatron.

Cryomodules with superconducting radiofrequency cavities accelerate electrons that generate X-rays at the recently commissioned European Xray Free-Electron Laser. Engineers at Fermilab and Jefferson Lab tweaked the design of those cryomodules to tailor the equipment for LCLS-II. They also greatly improved the quality of the cavities through a technique called nitrogen doping, which produces cavities that generate less heat at the coldest temperatures. These tweaks reduce energy loss and make a much brighter laser possible. LCLS-II will be the first largescale implementation of these latest technical advances.

For LCLS-II, Lawrence Berkeley National Laboratory, with significant



design contributions by Argonne National Laboratory, also created a new advanced "electron gun" to inject electrons into the accelerator and specialized undulators to generate the X-rays.

#### **New Scientific Possibilities**

With more frequent pulses, the upgraded laser will allow scientists to gather more data in less time. This increases the number of experiments that can be performed and enables new types of studies that were previously inconceivable.

"Within the space of just a few hours, LCLS-II will be able to produce more X-ray pulses than the current laser has delivered in its entire operations to date," says Mike Dunne, director of LCLS. "Data that would currently take a month to collect could be produced in a few minutes."

More frequent pulses also increase the chance that scientists can, for example, observe rare events that happen during chemical reactions or in delicate biological molecules in their natural environments. The superconducting accelerator under construction will work in parallel with the original one. The two laser beams will open up entirely new types of studies of the quantum world, informing the development of materials with novel characteristics.

The remaining 36 cryomodules are expected to arrive at SLAC over the next 18 months. Construction for LCLS-II began last year. The DOE user facility will open to researchers from around the world with the best ideas for experiments in the early 2020s.

Read more about science opportunities with LCLS-II.



#### Then and Now

SLAC has a history of taking on large projects since the lab's birth more than five decades ago. "Project M" (for "Monster"), the construction of a particle accelerator that stretches 2 miles in length, allowed scientists to study the building blocks of the universe. This linear accelerator was the longest ever constructed.

In 2009, the lab repurposed one-third of the original 1960s-era copper <u>accelerator</u> to feed an electron beam into LCLS, the first laser of its kind that produces rapid pulses of "hard" or high-energy X-rays for innovative imaging experiments. Another one-third of that original copper linac has now been cleared to make room for the arrival of the new superconducting cryomodules.

Provided by SLAC National Accelerator Laboratory

Citation: Superconducting X-ray laser takes shape in Silicon Valley (2018, January 19) retrieved 30 April 2024 from https://phys.org/news/2018-01-superconducting-x-ray-laser-silicon-valley.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.