


Researchers blaze new ground in wireless energy generation for future electronic gadgets

February 5 2018, by Hannah Halusker



The W-TENG is 3-D printed out of a graphene-PLA nanofiber (A), creating the bottom electrode of the technology (B). A Teflon sheet is then added as the top electrode (C). Credit: *Adv. Energy Mater.* 2017, 1702736

Researchers from Clemson's Nanomaterials Institute (CNI) are one step closer to wirelessly powering the world using triboelectricity - a green energy source.

In March 2017, a group of physicists at CNI [invented the ultra-simple triboelectric nanogenerator](#), or U-TENG - a small device made simply of plastic and tape that generates electricity from motion and vibrations. When the two materials are brought together - through clapping your hands or tapping your feet, for example - a voltage is generated that is detected by a wired, external circuit. Electrical [energy](#), by way of the circuit, is then stored in a capacitor or a battery until it's needed.

Nine months later, in a paper published in the journal *Advanced Energy Materials*, the researchers have uncovered a wireless version of TENG, called the W-TENG, which greatly expands the applications of the technology.

The W-TENG was engineered under the same premise as the U-TENG, using materials that are so opposite in affinity for electrons that they generate a voltage when brought in contact with each other.

In the W-TENG, plastic was swapped for a multipart fiber made of graphene - a single layer of graphite, or pencil lead - and a biodegradable polymer known as poly-lactic acid (PLA). PLA, on its own, is great for separating positive and negative charges, but not so great at conducting electricity - which is why the researchers paired it with graphene. Kapton tape, the electron-grabbing material of the U-TENG - was replaced with Teflon, a compound known for coating nonstick cooking pans.



Ramakrishna Podila (left), Apparao Rao, Sai Sunil Mallineni and Yongchang Dong are collaborators on the W-TENG technology. Credit: Ramakrishna Podila / Clemson Nanomaterials Institute

"We use Teflon because it has a lot of fluorine groups that are highly electronegative, whereas the graphene-PLA is highly electropositive. That's a good way to juxtapose and create high voltages," said Ramakrishna Podila, corresponding author of the study and an assistant professor of physics at Clemson.

To obtain graphene, the researchers exposed its parent compound, graphite, to a high frequency [sound wave](#). The sound wave then act as a sort of knife, slicing the "deck of cards" that is graphite into layer after layer of graphene. This process, called sonication, is how CNI is able to

scale up production of graphene to meet the research and development demands of the W-TENG and other nanomaterial inventions in development.

After assembling the graphene-PLA fiber, the researchers exploited additive manufacturing - otherwise known as 3D printing - to pull the fiber into a 3D printer, and the W-TENG was born.

The end result is a device that generates a max voltage of 3000 volts - enough to power 25 standard electrical outlets, or on a grander scale, smart-tinted windows or a liquid crystal display (LCD) monitor. Because the voltage is so high, the W-TENG generates an electric field around itself that can be sensed wirelessly. Its [electrical energy](#), too, can be stored wirelessly in capacitors and batteries.

"It cannot only give you energy, but you can use the electric field also as an actuated remote. For example, you can tap the W-TENG and use its [electric field](#) as a 'button' to open your garage door, or you could activate a security system - all without a battery, passively and wirelessly," said Sai Sunil Mallineni, the first author of the study and a Ph.D. student in physics and astronomy.

The wireless applications of the W-TENG are abundant, extending into resource-limited settings, such as in outer space, the middle of the ocean or even the military battlefield. As such, Podila says there is a definite philanthropic use for the team's invention.

"Several developing countries require a lot of energy, though we may not have access to batteries or power outlets in such settings," Podila said. "The W-TENG could be one of the cleaner ways of generating energy in these areas."

The team of researchers, again led by Mallineni, is in the process of

patenting the W-TENG through the Clemson University Research Foundation. Professor Apparao Rao, director of the Clemson Nanomaterials Institute, is also in talks with industrial partners to begin integrating the W-TENG into energy applications.

However, before industrial production, Podila says more research is being done to replace Teflon with a more environmentally friendly, electronegative material. A contender for the redesign is MXene, a two-dimensional inorganic compound that has the conductivity of a transition metal and the water-loving nature of alcohols like propanol. Yongchang Dong, another graduate student at CNI, led the work on demonstrating the MXene-TENG, which was published in a Nov. 2017 article in the journal [Nano Energy](#). Herbert Behlow and Sriparna Bhattacharya from CNI also contributed to these studies.

Will the W-TENG make an impact in the realm of alternative, renewable energies? Rao says it will come down to economics,

"We can only take it so far as scientists; the economics need to work out in order for the W-TENG to be successful," Rao said.

More information: Sai Sunil Kumar Mallineni et al, A Wireless Triboelectric Nanogenerator, *Advanced Energy Materials* (2017). [DOI: 10.1002/aenm.201702736](#)

Provided by Clemson University

Citation: Researchers blaze new ground in wireless energy generation for future electronic gadgets (2018, February 5) retrieved 25 April 2024 from <https://phys.org/news/2018-02-blaze-ground-wireless-energy-future.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.