


# When collective spins in a double domain system relax towards a negative-temperature state

February 16 2018, by Bob Yirka



Schematic representation of a double spin domain system coupled to a single reservoir. Here we denote the first spin domain containing  $N_1$  spins as  $D_1$  where the spins are shown as red arrows, the second spin domain 2 with  $N_2$  spins is labelled as  $D_2$  with the spins represented by the blue arrows. In both domains, each spin couples with the bosonic reservoir (at temperature  $T$ ) with the coupling constant  $g$ . Credit: arXiv:1612.08963 [quant-ph]

A team of researchers from several institutions in Japan has described a physical system that can be described as existing above "absolute hot" and also below absolute zero. In their paper published in the journal *Physical Review Letters*, the group outlines their ideas on collective spins in double domain systems and the interesting situations that can occur within them.

The concept of [temperature](#) has evolved over a very long period of time, from descriptions of simple sensations to theoretical [states](#) of physical systems. In their paper, the researchers with this new effort describe their investigation of relaxation in dual collective spins in a double domain system and some configurations that can result under certain extreme circumstances. Of particular interest are situations involving spin domains in antiparallel configurations, which, when unbalanced, can wind up relaxing toward a negative temperature state. At first glance, such an occurrence would seem impossible, because it suggests there is a circumstance in which some bit of material could be cooled below [absolute zero](#), which, of course, goes against current understanding—but theory suggests it is possible.

The idea of a negative temperature state is used by the researchers as an explanation of an occurrence in the real world—population inversion, in which atoms are pushed from a lower energy level to a higher energy level and are then allowed to fall back, resulting in light emission. This is how laser pointers work. When physicists discovered such a property was possible, they took another look at spin, which gives atoms their magnetic properties, and found that spin systems could be coaxed into behaving in more ways than was thought possible—some have even been found to become inverted, which could lead to a system that flows naturally upward in energy levels.

In this new effort, the researchers report the possibility of pockets of atoms, two in this case, to have spins that share a reservoir, and which

have a fixed temperature. When the two pockets are the same size, the math showed, half of the spins wind up in a higher state, and the other half in the lower state. But when the pockets are different sizes, the spins wind up flowing toward the higher state, making one pocket more inverted than the other, leading to the idea of negative temperatures.

**More information:** Yusuke Hama et al. Relaxation to Negative Temperatures in Double Domain Systems, *Physical Review Letters* (2018). [DOI: 10.1103/PhysRevLett.120.060403](https://doi.org/10.1103/PhysRevLett.120.060403) , On Arxiv: [arxiv.org/abs/1612.08963](https://arxiv.org/abs/1612.08963)

## ABSTRACT

The engineering of quantum systems and their environments has led to our ability now to design composite or complex systems with the properties one desires. In fact, this allows us to couple two or more distinct systems to the same environment where potentially unusual behavior and dynamics can be exhibited. In this Letter we investigate the relaxation of two giant spins or collective spin ensembles individually coupled to the same reservoir. We find that, depending on the configuration of the two individual spin ensembles, the steady state of the composite system does not necessarily reach the ground state of the individual systems, unlike what one would expect for independent environments. Further, when the size of one individual spin ensemble is much larger than the second, collective relaxation can drive the second system to an excited steady state even when it starts in the ground state; that is, the second spin ensemble relaxes towards a negative-temperature steady state.

© 2018 Phys.org

Citation: When collective spins in a double domain system relax towards a negative-temperature state (2018, February 16) retrieved 1 May 2024 from <https://phys.org/news/2018-02-domain->

[negative-temperature-state.html](https://phys.org/negative-temperature-state.html)

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.