


New models give insight into the heart of the Rosette Nebula

February 13 2018



Rosette Nebula image is based on data obtained as part of the INT Photometric H-Alpha Survey of the Northern Galactic Plane, prepared by Nick Wright, Keele

University, on behalf of the IPHAS Collaboration. Credit: Nick Wright, Keele University

A hole at the heart of a stunning rose-like interstellar cloud has puzzled astronomers for decades. But new research, led by the University of Leeds, offers an explanation for the discrepancy between the size and age of the Rosetta Nebula's central cavity and that of its central stars.


The Rosette Nebula is located in the Milky Way Galaxy roughly 5,000 light-years from Earth and is known for its rose-like shape and distinctive hole at its centre. The [nebula](#) is an interstellar cloud of dust, hydrogen, helium and other ionized gases with several massive [stars](#) found in a cluster at its heart.

Stellar winds and ionising radiation from these massive stars affect the shape of the giant [molecular cloud](#). But the size and age of the cavity observed in the centre of Rosette Nebula is too small when compared to the age of its central stars.

Through computer simulations, astronomers at Leeds and at Keele University have found the formation of the Nebula is likely to be in a thin sheet-like molecular cloud rather than in a spherical or thick disc-like shape, as some photographs may suggest. A thin disc-like structure of the cloud focusing the stellar winds away from the cloud's centre would account for the comparatively small size of the central cavity.

Study lead author, Dr Christopher Wareing, from the School of Physics and Astronomy said: "The [massive stars](#) that make up the Rosette Nebula's central cluster are a few millions of years old and halfway through their lifecycle. For the length of time their [stellar winds](#) would have been flowing, you would expect a central cavity up to ten times

bigger.



3-D visualization of the simulated nebula, showing the dense disc-like molecular cloud in red, the tenuous stellar wind focused away from the disc in blue and the


magnetic field lines in grey. The magnetic field is of key importance in forming a disc-like, not spherical, molecular cloud. Credit: C. J. Wareing et al., 2018, MNRAS

"We simulated the stellar wind feedback and formation of the nebula in various molecular cloud models including a clumpy sphere, a thick filamentary disc and a thin disc, all created from the same low density initial atomic cloud.

"It was the thin disc that reproduced the physical appearance - cavity size, shape and magnetic field alignment—of the Nebula, at an age compatible with the central stars and their wind strengths.

"To have a model that so accurately reproduces the physical appearance in line with the observational data, without setting out to do this, is rather extraordinary.

"We were also fortunate to be able to apply data to our models from the ongoing Gaia survey, as a number of the bright stars in the Rosette Nebula are part of the survey.



Slice through the simulation of the Rosette Nebula, perpendicular to the disc of the molecular cloud. The disc of the molecular cloud (shown in red) is clearly focussing the wind from the central star (shown in blue) away from the cloud and into the surroundings of the cloud (shown in green). Credit: C. J. Wareing et al., 2018, MNRAS

Applying this data to our models gave us new understanding of the roles individual stars play in the Rosette Nebula. Next we'll look at the many other similar objects in our Galaxy and see if we can figure out their shape as well."

The simulations, published today in the *Monthly Notices of the Royal Astronomical Society*, were run using the Advanced Research Computing centre at Leeds. The nine simulations required roughly half a million CPU hours—the equivalent to 57 years on a standard desktop computer.

Martin Callaghan, a member of the Advanced Research Computing team, said: "The fact that the Rosette Nebula simulations would have taken more than five decades to complete on a standard desktop computer is one of the key reasons we provide powerful supercomputing research tools. These tools enabled the simulations of the Rosette Nebula to be done in a matter of a few weeks."

More information: A new mechanical stellar wind feedback model for the Rosette Nebula, *Monthly Notices of the Royal Astronomical Society* (2018). [DOI: 10.1093/mnras/sty148](https://doi.org/10.1093/mnras/sty148)

Provided by University of Leeds

Citation: New models give insight into the heart of the Rosette Nebula (2018, February 13) retrieved 2 May 2024 from <https://phys.org/news/2018-02-insight-heart-rosette-nebula.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--