

With computation, researchers identify promising solid oxide fuel cell materials

February 22 2018



A row of fuel cells (in the foreground) power an eBay data center near Salt Lake City. Similar fuel cells could be more efficient -- and commonplace -- incorporating new materials in development by UW-Madison engineers. Credit: Bloom Energy

Using advanced computational methods, University of Wisconsin-Madison materials scientists have discovered new materials that could bring widespread commercial use of solid oxide fuel cells closer to reality.

A solid [oxide](#) fuel cell is essentially an engine that provides an alternative way to burn fossil fuels or hydrogen to generate power. These fuel cells burn their fuel electrochemically instead of by combustion, and are more efficient than any practical combustion engine.

As an alternative energy technology, solid oxide fuel cells are a versatile, highly efficient power source that could play a vital role in the future of energy. Solid oxide fuel cells could be used in a variety of applications, from serving as a power supply for buildings to increasing fuel efficiency in vehicles.

However, solid oxide fuel cells are more costly than conventional energy technologies, and that has limited their adoption.

"Better cathode catalysts can allow lower-temperature operation, which can increase stability and reduce costs, potentially allowing you to take your building off the electrical grid and instead power it with a solid oxide fuel cell running on natural gas," says Dane Morgan, a [materials](#) science and engineering professor at UW-Madison. "If we can get to that point with solid oxide fuel cells, the infrastructure of power to many buildings in the country could change, and it would be a very big transformation to a more decentralized power infrastructure."

Led by Morgan and Ryan Jacobs, a staff scientist in Morgan's research group, a team of UW-Madison engineers has harnessed quantum mechanics-based computational techniques to search for promising new candidate materials that could enable solid oxide fuel cells to operate at lower temperatures, with higher efficiency and longer lifetimes.

Their computational screening of more than 2,000 candidate materials from a broad class of compounds called perovskites yielded a list of 52 potential new cathode materials for solid oxide fuel cells.

The researchers published details of their advance recently in the journal *Advanced Energy Materials*.

"With this research, we've provided specific recommendations of promising compounds that should be explored further," says Morgan, whose work is supported by the U.S. Air Force and the National Science Foundation. "Some of the new candidate cathode materials we identified could be transformative for solid oxide fuel cells for reducing costs."

In addition to identifying [new materials](#), the researchers' approach allowed them to codify material design principles that had previously been based on intuition and to offer suggestions for improving existing materials.

Typically, solid oxide fuel cells must operate at temperatures around 800 degrees Celsius. But operating at these high temperatures means materials in the fuel cell degrade quickly and limit the device's working life. The goal, says Jacobs, is to enable solid oxide fuel cells to operate at a lower temperature, and slow that degradation. Fuel [cells](#) with long lifetimes wouldn't need frequent replacements, making them more cost-effective.

To achieve this goal, the researchers set out to find stable compounds with high activity to catalyze the [oxygen reduction reaction](#), a chemical process key to solid oxide [fuel cell energy](#) applications.

"If you can find new compounds that are both stable under the operating conditions of the fuel cell and highly catalytically active, you can take that stable, highly active material and use it at a reduced temperature

while still achieving the desired performance from the fuel cell," explains Jacobs, who was the lead author of the study.

However, using computational modeling to quantitatively calculate the [catalytic activity](#) of a perovskite compound is prohibitively difficult because of the high complexity of the oxygen reduction reaction.

To overcome this challenge, the researchers used an approach where they selected a physical parameter that was more straightforward to calculate, and then showed empirically that it correlated with the catalytic activity, thus serving as an effective proxy for the catalytic activity. Once they established these correlations with data from experiments, the researchers were able to use high-throughput computational tools to effectively screen a large group of materials for high catalytic activity.

The UW-Madison researchers are collaborating with a group at the National Energy Technology Laboratory (NETL), which conducted initial testing on one of the team's candidate cathode materials.

"This research is ongoing, but the early tests by our NETL collaborators found the material to be quite promising," Morgan says.

Morgan says this project is an example of the kind of advances that are aided by the Materials Genome Initiative, an ongoing national effort that aims to double the speed with which the country discovers, develops and manufactures new materials.

"This project integrated correlations from experiments with online digital databases and high-throughput computational tools in order to design new solid oxide [fuel](#) cell materials, so it's exactly the kind of thing that gets enabled by the infrastructure and approaches that have been developed and put in place by the Materials Genome Initiative," Morgan

says.

More information: Ryan Jacobs et al. Material Discovery and Design Principles for Stable, High Activity Perovskite Cathodes for Solid Oxide Fuel Cells, *Advanced Energy Materials* (2018). [DOI: 10.1002/aenm.201702708](https://doi.org/10.1002/aenm.201702708)

Provided by University of Wisconsin-Madison

Citation: With computation, researchers identify promising solid oxide fuel cell materials (2018, February 22) retrieved 20 April 2024 from <https://phys.org/news/2018-02-solid-oxide-fuel-cell-materials.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.