

# New species of shark discovered through genetic testing

February 19 2018

---



An adult Atlantic sixgill shark swims in the waters off Belize. Credit: Ivy Baremore/Maralliance

A team of scientists led by Florida Institute of Technology's Toby Daly-Engel has confirmed after decades of uncertainty that sixgill sharks residing in the Atlantic Ocean are a different species than their counterparts in the Indian and Pacific oceans.

The new species has a new name: the Atlantic sixgill shark.

With ancestors dating back over 250 million years, well before dinosaurs, sixgill sharks are among the oldest creatures on Earth. Yet the fact that they reside at extreme [ocean](#) depths, sometimes thousands of feet below the surface, has made them especially challenging to study.

Using 1,310 base pairs of two mitochondrial genes, Daly-Engel, an assistant professor of biological sciences at Florida Tech, and colleagues from MarAlliance in Belize, Florida State University Coastal and Marine Laboratory in Teresa, Florida, and the National Marine Fisheries Service, Southeast Fisheries Science Center in Panama City, determined there are enough genetic differences between what had long been considered a single species, *Hexanchus nakamurai*, to rename the Atlantic variety *Hexanchus vitulus*.

"We showed that the sixgills in the Atlantic are actually very different from the ones in the Indian and Pacific Oceans on a molecular level, to the point where it is obvious that they're a different species even though they look very similar to the naked eye," Daly-Engel said.

Their findings were reported this week in the online edition of the journal *Marine Biodiversity*.

Measuring up to 6 feet in length, Atlantic sixgill sharks are far smaller than their Indo-Pacific relatives, which can grow to 15 feet or longer. They have unique, saw-like lower teeth and six gill slits, as their name suggests. Most sharks have five gill slits.

With their new classification, Atlantic sixgill [sharks](#) will now have a better chance at long-term survival, Daly-Engel noted.

"Because we now know there are two unique [species](#), we have a sense of

the overall variation in populations of sixgills. We understand that if we overfish one of them, they will not replenish from elsewhere in the world," she said.

And that's the other benefit of this research: a better understanding of shark diversity.

"Particularly diversity in the deep ocean," Daly-Engel said, "which we don't know much about."

**More information:** Toby S. Daly-Engel et al. Resurrection of the sixgill shark *Hexanchus vitulus* Springer & Waller, 1969 (Hexanchiformes, Hexanchidae), with comments on its distribution in the northwest Atlantic Ocean, *Marine Biodiversity* (2018). [DOI: 10.1007/s12526-018-0849-x](https://doi.org/10.1007/s12526-018-0849-x)

Provided by Florida Institute of Technology

Citation: New species of shark discovered through genetic testing (2018, February 19) retrieved 18 April 2024 from <https://phys.org/news/2018-02-species-shark-genetic.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.