


Strange things happen when a crystal is split in two

February 2 2018






A labyrinth-like structure emerges on the surface. Credit: TU Wien

The remarkable strength of ionic crystals is easily explained at the atomic scale: Positively and negatively charged atoms sit side by side in a repeating periodic arrangement. The strong electrostatic force in between keeps them together.

But what happens when the periodic pattern comes to an abrupt end? Researchers at the Vienna University of Technology have carefully broken potassium tantalate crystals in specific directions, and imaged the resulting surfaces using a state-of-the art <u>atomic force microscope</u>. Their data was combined with computations performed at the University of Vienna, and a series of remarkable phenomena were ultimately explained. The results were published in *Science*, and are potentially useful for technologies such as hydrogen production.

The black and white squares on a chess board alternate along the rows and columns, and at an angle from corner to corner, they appear as black and white rows. The black and white squares in two dimensions resemble a crystal in three dimensions: "If one splits a cubic crystal along a certain direction, one can end up with only positive or only negative charges at the surface. Such a situation would be highly unstable," explains Prof. Ulrike Diebold of he Institute of Applied Physics of the Vienna University of Technology. A stacking of purely positive and negatively charged layers would result in a potential of millions of volts across the tiny sample—scientists call this the "polar catastrophe." To avoid this situation, the <u>atoms</u> must reorganize. But how?





Island structures, visible after breaking the crystal. Credit: TU Wien

"There are different ways in which a surface can react when we split a crystal," says Martin Setvin, first author of the publication. "Electrons can accumulate at certain locations, the crystal lattice can become distorted, or molecules from the atmosphere can stick to the surface, changing its properties."

Via scanning tunneling microscope, it is immediately obvious that a crystal broken at very low temperature has half of the negatively charged layer on one side, and half on the other. Because the negative islands cover exactly 50 percent of each surface, the surface is electrically neutral. "Yet, the island are large, so the polar catastrophe is not



completely avoided—the field underneath them changes the physical properties of the material," says Setvin.

Strangely though, by raising the temperature of the <u>surface</u> slightly, the islands break apart and the atoms form a labyrinth of jagged lines. The "walls" of this labyrinth are just one atom high and four to five atoms wide, and calculations show that this indeed a more stable configuration.

"The labyrinth structures are not only beautiful but also potentially useful," says Diebold. "That's exactly what you want—tiny structures where <u>strong electric fields</u> occur at the atomic scale." One could use them, for example, to enable chemical reactions that would not proceed by themselves—such as the splitting of water, to produce hydrogen.

"Using these strange crystal surfaces in technology requires that we understand what goes on at the <u>atomic scale</u>," emphasizes Setvin. "That's why microscopy is so important to us. In high-resolution images we can directly observe <u>individual atoms</u>, watch how they move, and finally understand what nature tries to do. Maybe then, we can figure out how to use it."

More information: "Polarity compensation mechanisms on the perovskite surface KTaO3(001)" *Science* (2018). science.sciencemag.org/cgi/doi ... 1126/science.aar2287

Provided by Vienna University of Technology

Citation: Strange things happen when a crystal is split in two (2018, February 2) retrieved 18 April 2024 from https://phys.org/news/2018-02-strange-crystal.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private



study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.