

Tasmanian devil populations continue to decline

February 12 2018



Credit: Save the Tasmanian Devil Program

Ongoing monitoring of wild Tasmanian devils shows that overall population numbers are continuing to decline, due to the presence of devil facial tumour disease. Results of this research—conducted by the Save the Tasmanian Devil Program (STDP) in collaboration with staff from the Tasmanian Department of Primary Industries, Water and Environment (DPIPWE), San Diego Zoo Global, Toledo Zoo and the University of Tasmania—were published this month in the *Journal of*

Applied Ecology, in a paper titled "Density Trends and Demographic Signals Uncover the Long-term Impact of Transmissible Cancer in Tasmanian Devils."

Tasmanian devils face extinction in the wild because of devil facial tumor disease, a rare, contagious cancer found only in devils. It is transmitted from one animal to another through biting, a common behavior among devils when mating and feeding. The disease kills all infected devils within 6 to 12 months, and there is no known cure or vaccine. Lead author Billie Lazenby, Ph.D., wildlife biologist with the STDP, indicated that research of devil densities at monitoring sites, together with spotlight counts around the state, show that populations have decreased by about 80 percent following the emergence of devil facial tumour disease (DFTD).

"While the number of Tasmanian devils in the wild continues to decline and DFTD is spreading, to date, devils are still found in the wild in Tasmania," she said. "We are now dealing with very small and potentially isolated groups of devils across Tasmania. The ongoing impact of DFTD, which continues to cause high mortality in devils, could make them vulnerable to other threats."

Research further indicates that remaining wild populations are showing slight reproductive changes, possibly in response to the challenges posed by the disease. "Devils in diseased areas are now breeding younger and having more pouch young, which has allowed them to persist at low levels in the wild," said Mathias Tobler, Ph.D., Population Sustainability scientist with San Diego Zoo Global. "This research has shown the structure of the wild devil populations in diseased areas has shifted dramatically, with devils over the age of 2 being very rare, compared to sites before DFTD emerged. Earlier breeding in young devils means that they are contracting DFTD younger, often as 1-year-olds."

Although these reproductive shifts are allowing the populations of this species to maintain, the overall reduction may indicate that the species is at greater risk of extinction due to other factors. "While devils have persisted to date in the wild, such large reductions in their numbers and the change in their age structure means their populations are impacted more by other threats, such as roadkill, bushfire, loss of genetic diversity, variation in food availability caused by drought and changes in the ecosystem as it responds to the loss of devils in the wild," said David Pemberton, Ph.D., STDP program manager and senior author. "Efforts to manage the devils, such as the development of an immunotherapy, are ongoing, but remain in a research-and-development phase."

Tasmanian devils are listed as Endangered on the International Union for Conservation of Nature Red List of Threatened Species. They are native to the island state of Tasmania, which is part of Australia, where they live in forest, woodland and agricultural areas. Tasmanian devils are nocturnal hunters and use their keen senses of smell and hearing to find prey or carrion. They can give off a fierce snarl and high-pitched scream, which can be heard at feeding time, to establish dominance. San Diego Zoo Global is working with the Save the Tasmanian Devil Program and zoos and universities in Australia to create disease-free populations of this species, to ensure the species does not go extinct.

Provided by Zoological Society of San Diego

Citation: Tasmanian devil populations continue to decline (2018, February 12) retrieved 26 April 2024 from <https://phys.org/news/2018-02-tasmanian-devil-populations-decline.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.