


# Team develops new process for manufacturing SWCNT films

February 19 2018



(a) Comparison of the performance of films based on single-walled carbon nanotubes after p-type doping: sheet resistance vs. optical transparency in the visible range. Dashed lines indicate theoretical relationship between transmittance and sheet resistance of pristine (black) and doped SWCNT films (red) obtained in this work. (b) A photograph of a doped single-walled carbon nanotubes film on a flexible PET substrate. Credit: Skolkovo Institute of Science and Technology

In a finding that could accelerate the development of next-generation wearable and flexible electronics, a team of Skoltech scientists led by Professor Albert Nasibulin has discovered a revolutionary means of improving the optical and electrical properties of carbon nanotubes.

Next-generation electronics will be flexible, stretchable, have enhanced battery life, and be usable outdoors. The transparent metal oxide [films](#) currently favored by the industry have several drawbacks, including with respect to reflection, brittleness, bendability the high cost of raw materials, and environmentally damaging resource extraction processes. These drawbacks limit the utility of these films for next-generation devices like wearable electronics, display technologies and photovoltaics.

Films made of [single-walled carbon nanotubes](#) (SWCNTs) could replace their metal oxide counterparts in future electronics. In comparison to metal oxide films, those made of single-walled carbon are flexible, durable, and chemically stable. However, in order to become viable replacements, the opto-electrical characteristics of carbon nanotube films need to be improved.

The Skoltech team developed single-walled carbon [nanotubes](#) films that match their metal-oxide counterparts with respect to opto-electrical characteristics. In particular, the team revised the doping process, the act of covering a surface with a thick liquid. This is a pivotal step when it comes to changing a material's electrical and optical characteristics.

"In this work, we used gold chloride as the most effective dopant for the single-walled carbon nanotubes films. We were able to improve the opto-electrical characteristics of the films by optimizing the doping solvent and conditions. We have examined and demonstrated the effect of several of the most common solvents at different temperatures on the opto-electrical characteristics," said Skoltech Ph.D. student Alexey Tsapenko, the lead author of the study.

The results of the study show state-of-the-art optoelectrical characteristics, with a sheet resistance value of as low as  $40 \Omega/\text{sq}^{-1}$  at the transmittance of 90 percent in the visible range. The reported value demonstrated a superior performance increase of films based on single-

walled [carbon](#) nanotubes compared to previously conducted and discussed research in literature. The results of the study have been published in *Carbon*.

**More information:** Alexey P. Tsapenko et al. Highly conductive and transparent films of H<sub>Au</sub>Cl<sub>4</sub> -doped single-walled carbon nanotubes for flexible applications, *Carbon* (2018). DOI: 10.1016/j.carbon.2018.01.016

Provided by Skolkovo Institute of Science and Technology

Citation: Team develops new process for manufacturing SWCNT films (2018, February 19) retrieved 27 April 2024 from <https://phys.org/news/2018-02-team-develops-swcnt.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.