

Researchers capture first representative of most abundant giant viruses in the sea

March 29 2018



Christoph Deeg and Curtis Suttle isolated Bodo saltans virus in samples from UBC's Nitobe Memorial Garden. Credit: University of British Columbia

Bodo saltans virus, the first isolated representative of the most abundant giant viruses in the sea, has been unveiled by researchers at the



University of British Columbia.

The <u>virus</u>, whose <u>genome</u> weighs in at 1.39 million bases of DNA, is one of the largest <u>giant viruses</u> ever isolated, and the largest known to infect zooplankton.

"*Bodo saltans* virus is one of the few giants we've characterized that infects a common and ecologically important <u>host</u>," says University of British Columbia researcher Curtis Suttle. "It's representative of the most abundant giant viruses in the sea, yet until BsV was discovered, there was no way to investigate these viruses in the lab."

Because *Bodo saltans* virus (BsV) has to compete with a multitude of other viruses to infect its plentiful host-a microzooplankton called Bodo saltans-it comes armed to the hilt. It possesses an arsenal of toxins and DNA cutting enzymes, which likely interfere with other viruses trying to replicate inside the host.

During infection, BsV maneuvers towards the rear of the host cell and releases its <u>viral genome</u>. It appears that as BsV evolved it stole genetic machinery from the host to help in the infection process.

BsV doesn't carry transfer RNA (tRNA), part of the replication machinery all other giant viruses carry. It does, however, carry tRNA repair genes, making it likely that the virus uses the host's own tRNA during infection. Again, these genes appear to have been coopted by the virus directly from the host.





Cell of *Bodo saltan* 24 hours after BsV infection (Left) and BsV virion assembly and maturation (Right). Credit: Christoph Deeg, Curtis Suttle, University of British Columbia.

More than 10 per cent of BsV's genome encodes the same group of proteins that are likely involved in combating the host's antiviral system.

"These genes are actively being duplicated in an accordion-like mechanism in the periphery of the viral genome," says UBC graduate student Christoph Deeg, first author on the paper. "This suggests that the virus is engaged in an evolutionary arms race with its host, and could offer on explanation of how the genomes of giant viruses could reach their impressive complexity."

Giant viruses have much more DNA than typical viruses, enabling them to produce a multitude of proteins that allows them to replicate largely independently of their host.

Although researchers knew BsV-like viruses existed based on sequenced environmental DNA, only now has a representative virus been captured



and studied in the lab. The *Bodo saltans* virus was isolated in samples from UBC's Nitobe Memorial Garden.

The researchers describe it in *eLife*.

More information: Christoph M Deeg et al, The kinetoplastidinfecting Bodo saltans virus (BsV), a window into the most abundant giant viruses in the sea, *eLife* (2018). <u>DOI: 10.7554/eLife.33014</u>

Provided by University of British Columbia

Citation: Researchers capture first representative of most abundant giant viruses in the sea (2018, March 29) retrieved 25 June 2024 from <u>https://phys.org/news/2018-03-capture-abundant-giant-viruses-sea.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.