

Elephant and cow manure for making paper sustainably

March 21 2018



Paper (top) can be made from cellulose derived from elephant manure (bottom).
Credit: Kathrin Weiland

It's likely not the first thing you think of when you see elephant dung, but this material turns out to be an excellent source of cellulose for paper manufacturing in countries where trees are scarce, scientists report. And in regions with plenty of farm animals such as cows, upcycling manure into paper products could be a cheap and environmentally sound method to get rid of this pervasive agricultural waste.

The researchers are presenting their results today at the 255th National Meeting & Exposition of the American Chemical Society (ACS).

The idea for the project germinated on Crete, where Alexander Bismarck, Ph.D., noticed goats munching on summer-dry grass in the small village where he was vacationing. "I realized what comes out in the end is partially digested plant matter, so there must be cellulose in there," he recalls.

"Animals eat low-grade biomass containing cellulose, chew it and expose it to enzymes and acid in their stomach, and then produce manure. Depending on the animal, up to 40 percent of that manure is cellulose, which is then easily accessible," Bismarck says. So, much less energy and fewer chemical treatments should be needed to turn this partially digested material into cellulose nanofibers, relative to starting with raw wood, he conjectured.

After working with goat manure, Bismarck, who is at the University of Vienna, Austria, his postdoc Andreas Mautner, Ph.D., and graduate students Nurul Ain Kamal and Kathrin Weiland moved on to dung from horses, cows and eventually elephants. The supply of raw material is

substantial: Parks in Africa that are home to hundreds of elephants produce tons of dung every day, and enormous cattle farms in the U.S. and Europe yield mountains of manure, according to Mautner.

The researchers treat the manure with a sodium hydroxide solution. This partially removes lignin—which can be used later as a fertilizer or fuel—as well as other impurities, including proteins and dead cells. To fully remove lignin and to produce white pulp for making paper, the material has to be bleached with sodium hypochlorite. The purified cellulose requires little if any grinding to break it down into nanofibers in preparation for use in paper, in contrast to conventional methods.

"You need a lot of energy to grind wood down to make nanocellulose," Mautner says. But with manure as a starting material, "you can reduce the number of steps you need to perform, simply because the animal already chewed the plant and attacked it with acid and enzymes. You inexpensively produce a nanocellulose that has the same or even better properties than nanocellulose from wood, with lower energy and chemical consumption," he says.

The dung-derived nanopaper could be used in many applications, including as reinforcement for polymer composites or filters that can clean wastewater before it's discharged into the environment, Bismarck says. His team is working with an industrial consortium to further explore these possibilities. The nanopaper could also be used to write on, he says.

The researchers are also investigating whether the process can be made even more sustainable, by first producing biogas from [manure](#) and then extracting [cellulose](#) fibers from the residue. Biogas, which is mostly methane and carbon dioxide, can then be used as a fuel for generating electricity or heat.

More information: Title: Cellulose Nanopapers from Elephant Manure

Abstract

The interest in cellulose fibres, in particular micro- or nanofibrillated cellulose, utilized in paper and composite materials as alternative to conventional fibre materials, has recently grown significantly. Thereby, particularly in countries without access to large forest areas, an alternative to wood as raw material for natural fibres is highly desirable. In order to promote an environmentally sustainable, widely available and cheap raw material, elephant manure was proposed as potential source. As elephants digest only 30 to 40% of their diet, their manure contains large quantities of fibrous cellulosic material. In addition, the mechanical, acidic and enzymatic pre-treatment during ingestion and digestion initiates break down of the fibres. This makes this animal waste a suitable candidate for the use as precursor for the production of micro- or even nanofibrillated cellulose. Nanocelluloses are commonly prepared by mechanical disintegration of plant material, optionally with chemical pre-treatment, thus requiring a lot of energy and chemicals during the fibrillation process. Therefore, utilizing the elephant as the first-stage bioreactor for the defibrillation of cellulose fibres by mechanical and chemical means would constitute an energy-efficient approach.

We demonstrate that by chemical purification of elephant manure, microfibrillated cellulose with controllable properties can be isolated. The fibrils were characterized regarding their cellulose content and physico-chemical properties in order to optimize the extraction process. Optimized fibrils were initially used for the preparation of papers that were characterized regarding their physico-chemical and mechanical properties and served as reference material. Moreover, the fibrils were further mechanically refined and papers produced from these refined elephant manure nanofibrils that were compared to the non-refined elephant manure papers and cellulose nanopapers.

Provided by American Chemical Society

Citation: Elephant and cow manure for making paper sustainably (2018, March 21) retrieved 6 February 2023 from <https://phys.org/news/2018-03-elephant-cow-manure-paper-sustainably.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.