

Gene boosts rice growth and yield in salty soil

March 23 2018



Members of the research team collecting samples in a rice paddy field in Changsha, China. Credit: Jianzhong Lin

Soil salinity poses a major threat to food security, greatly reducing the yield of agricultural crops. Rising global temperatures are expected to accelerate the buildup of salt in soil, placing an increasing burden on agricultural production. In a new study published in *The Plant Cell*, a team of researchers identified a gene that limits yield losses in rice plants

exposed to salt stress and deciphered the underlying mechanism.

Around 20% of the world's irrigated land is considered to contain elevated concentrations of [salt](#), and the soil continues to get saltier as the climate warms. Agricultural production is hard hit by [soil salinity](#); salt stress reduces the growth and yield of most plants, resulting in billions of dollars in crop yield losses annually. Rice—the staple food of more than half the world's population—is particularly sensitive to salty soil, with even moderate levels of salt resulting in substantial yield losses. There is thus an urgent need to develop rice lines that can withstand salty conditions.

A team of scientists led by Jian-Zhong Lin and Xuan-Ming Liu of Hunan University in Changsha, China recently identified a gene that contributes to salt stress tolerance in rice. The gene, which they named STRK1 ([salt tolerance receptor-like cytoplasmic kinase 1](#)), was activated under salt stress conditions. The researchers generated two sets of [transgenic plants](#), one in which STRK1 was expressed at high levels, and the other in which expression was greatly reduced. Under regular growth conditions, both sets of transgenic plants appeared normal. However, when challenged with salt, the transgenic plants with elevated STRK1 expression were greener and larger than the non-transgenic control plants, and those with reduced levels of STRK1 expression were smaller and browner than the controls.

Next, the team examined the effect of STRK1 on yield. "Notably, overexpression of STRK1 in rice not only improved growth but also markedly limited the grain yield loss under salt stress conditions," said Jian-Zhong Lin.

The team then turned their attention to deciphering the mechanism by which STRK1 enhances the plant's tolerance to salt. Salt stress triggers the production of potentially harmful [reactive oxygen species](#), such as

[hydrogen peroxide](#), in plant cells. The group found that STRK1 (the protein encoded by STRK1) interacts with and activates a protein named CatC, which belongs to a family of proteins that decomposes hydrogen peroxide into water and oxygen. Thus, STRK1 increases the plant's tolerance to salt stress by keeping the levels of hydrogen peroxide in check, and thereby minimizing the damage caused by accumulating reactive oxygen species.

These exciting findings bring the research community closer to developing rice plants that thrive in salty soil. "Agricultural productivity is increasingly threatened by the salinization of irrigated farmland...Our work demonstrates that STRK1 is a promising candidate gene for protection of yield in crop [plants](#) exposed to salt stress," stated Xuan-Ming Liu.

More information: *Plant Cell* (2018). [DOI: 10.1105/tpc.17.01000](https://doi.org/10.1105/tpc.17.01000)

Provided by American Society of Plant Biologists

Citation: Gene boosts rice growth and yield in salty soil (2018, March 23) retrieved 20 March 2024 from <https://phys.org/news/2018-03-gene-boosts-rice-growth-yield.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.