


Piezomagnetic material changes magnetic properties when stretched

March 16 2018, by Andy Fell



Top: A piece of BaFe₂As₂ is stretched while magnetic measurements are taken (the copper wire coil is part of the NMR device). Lower diagram shows atoms in a plane, with black arrows showing how magnetic spins lie in plane and point in opposite directions. Grey arrows show how the magnetic spin of atoms shifts as the material is stretched. Credit: Nicholas Curro, UC Davis

Piezoelectric materials, which generate an electric current when compressed or stretched, are familiar and widely used: think of lighters that spark when you press a switch, but also microphones, sensors, motors and all kinds of other devices. Now a group of physicists has found a material with a similar property, but for magnetism. This "piezomagnetic" material changes its magnetic properties when put under mechanical strain.

"Piezomagnetic materials are rarely found in nature, as far as I'm aware," said Nicholas Curro, professor of physics at UC Davis and senior author of a paper on the discovery published March 13 in the journal *Nature Communications*.

Curro and colleagues were studying a barium-iron-arsenic compound, BaFe_2As_2 , that can act as a superconductor at temperatures of about 25 Kelvin when doped with small amounts of other elements. This type of iron-based superconductor is interesting because although it has to be kept pretty cold to work, it could be stretched into wires or cables.

BaFe_2As_2 is what is called a "nematic" crystal because its structure goes through a phase transition before it becomes superconducting. In the case of BaFe_2As_2 , its crystal structure goes from a square to a rectangular configuration.

Curro and graduate students Tanat Kissikov and Matthew Lawson were attempting to study the material by [nuclear magnetic resonance](#) (NMR) imaging while stretching it, to see if they could force it into the rectangular configuration. To their surprise, the [magnetic properties](#) of BaFe_2As_2 changed as they stretched it.

The material is not a bulk magnet - the spins of its atoms point in alternating opposite directions, making it an antiferromagnet. But the direction of those magnetic spins does change in a measurable way when

under stress, they found.

"The real surprise is that it appears that the direction of magnetism can change and come out of plane," Curro said.

At this point, there's no theory to explain these results, Curro said. His lab is looking to see if other materials can show the same behavior and if [mechanical strain](#) can affect the superconducting properties of the material (these experiments were not carried out at temperatures where BaFe_2As_2 is a superconductor).

The discovery could have applications in new ways to look for strain within [materials](#) such as aircraft components, Curro said.

More information: T. Kissikov et al, Uniaxial strain control of spin-polarization in multicomponent nematic order of BaFe_2As_2 , *Nature Communications* (2018). [DOI: 10.1038/s41467-018-03377-8](https://doi.org/10.1038/s41467-018-03377-8)

Provided by UC Davis

Citation: Piezomagnetic material changes magnetic properties when stretched (2018, March 16) retrieved 25 April 2024 from

<https://phys.org/news/2018-03-piezomagnetic-material-magnetic-properties.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.