

# Why populations can't be saved by a single breeding pair

March 22 2018, by Corey Bradshaw

---

Two days ago, [the last male northern white rhino](#) (*Ceratotherium simum cottoni*) died. His passing leaves two surviving members of his subspecies: both females who are unable to bear calves.

Even though it might not be quite the end of the northern white rhino because of the possibility of implanting frozen embryos in their southern cousins (*C. simum simum*), in practical terms, it nevertheless represents the end of a long decline for the subspecies. It also raises the question: how many individuals does a species need to persist?

[Fiction writers have enthusiastically embraced](#) this question, most often in the [post-apocalypse genre](#). It's a notion with a long past; the Adam and Eve myth is of course based on a single breeding pair populating the entire world, as is the case described in the [Ragnarok](#), the final battle of the gods in Norse mythology.

This idea dovetails neatly with the image of Noah's animals marching "two by two" into the Ark. But the science of "[minimum viable populations](#)" tells us a different story.

## No inbreeding, please

The global gold standard used to assess the extinction risk of any species is the [International Union for the Conservation of Nature](#) (IUCN) [Red List of Threatened Species](#).

The Red List's assessment criteria are based on the so-called "50/500 rule". This states that to avoid *inbreeding depression* (the loss of "fitness" due to genetic problems), an *effective* [population](#) size of at least 50 individuals in a population is required.

To avoid eroding *evolutionary potential* (the ability of a population to evolve to cope with future environmental changes), an effective population of at least 500 is required.

The key here is that little qualifier "effective". This refers to individuals who can breed with each other without causing inbreeding or loss of genetic diversity. A family unit, for example, might have only one or two *reproductively effective* members. But they would also need another, unrelated, family unit nearby for their offspring to reproduce with.

That means that the number of *effective* individuals is lower than the total population. On average, the ratio is about [0.1 to 0.2](#); that is, one *effective* individual (genetically speaking) for every five to ten members of the population.

This also assumes that the breeding pairs are matching up based on an optimal genetic basis – what geneticists call an "idealised population".

In a perfect world, a breeding pair of animals would be completely unrelated and would have no chance of producing babies with any genetic defects caused by inbreeding. However, real populations rarely behave like this, so some pairs have a certain amount of relatedness. As the population gets smaller, the chance of breeding with a relative increases, which leads to more frequent and severe inbreeding.

## **Repopulating the world after the apocalypse**

So let's do the maths. Fifty effective individuals – the IUCN standard for

avoiding inbreeding – equals a total population of 250 to 500. This means that, in a hypothetical apocalypse, humanity would need a lot more than a handful of survivors to repopulate effectively.

However, to retain *evolutionary potential* – to remain genetically flexible and diverse – the IUCN criteria suggest we would need at least 500 effective individuals. That requires a population of [2,500 to 5,000](#).

Some preliminary results emerging from ongoing research at the [Centre of Excellence for Australian Biodiversity and Heritage](#) appear to confirm this. Using both [ancient DNA](#) techniques and palaeodemographic models, we have estimates of a minimum effective population size for Aboriginal Australians when they first appeared of about 250. This means at least several thousand had to arrive around the same time to manage to colonise the entire continent successfully.

Of course, not every species has the same ratio of effective to total population size, and not all populations necessarily need 5,000 individuals to survive. But without being able to measure the true ratio for a specific population, it helps to default to the average situation.

The idea that 50 individuals is enough to avoid inbreeding depression comes largely from laboratory populations that probably do not describe the situation for populations living in wild environments.

In species as varied as houseflies and [pinkfairies](#), populations substantially greater than 50 individuals still succumb to inbreeding depression. So, in many cases, 50 effective individuals is in fact too low to ensure no inbreeding depression occurs. It may be that 100 effective individuals is closer to the [true minimum](#), without even considering how populations respond to evolutionary challenges.

So, sensational analogies about the apocalypse aside, do human beings

follow the same rule? We aren't entirely sure, but [evidence suggests](#) that most species in vastly different groups roughly follow the same trend.

An emerging rule of thumb is that when a population starts to dip below several thousand [individuals](#), it has a high likelihood of going extinct.

This article was originally published on [The Conversation](#). Read the [original article](#).

Provided by The Conversation

Citation: Why populations can't be saved by a single breeding pair (2018, March 22) retrieved 19 April 2024 from <https://phys.org/news/2018-03-populations-pair.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.