

Technique to see objects hidden around corners

March 5 2018




Illustration of the non-line-of-sight imaging system. Credit: Stanford Computational Imaging Lab

A driverless car is making its way through a winding neighborhood street, about to make a sharp turn onto a road where a child's ball has just rolled. Although no person in the car can see that ball, the car stops to avoid it. This is because the car is outfitted with extremely sensitive laser technology that reflects off nearby objects to see around corners.


This scenario is one of many that researchers at Stanford University are imagining for a system that can produce images of objects hidden from view. They are focused on applications for autonomous vehicles, some of which already have similar laser-based systems for detecting objects around the car, but other uses could include seeing through foliage from aerial vehicles or giving rescue teams the ability to find people blocked from view by walls and rubble.

"It sounds like magic but the idea of non-line-of-sight imaging is actually feasible," said Gordon Wetzstein, assistant professor of electrical engineering and senior author of the paper describing this work, published March 5 in *Nature*.

Seeing the unseen

The Stanford group isn't alone in developing methods for bouncing lasers around corners to capture images of objects. Where this research advances the field is in the extremely efficient and effective algorithm the researchers developed to process the final image.

"A substantial challenge in non-line-of-sight imaging is figuring out an efficient way to recover the 3-D structure of the hidden [object](#) from the noisy measurements," said David Lindell, graduate student in the Stanford Computational Imaging Lab and co-author of the paper. "I think the big impact of this method is how computationally efficient it is."




Artistic interpretation of paper topic. Credit: Stefani Billings

For their system, the researchers set a laser next to a highly sensitive photon detector, which can record even a single particle of light. They shoot pulses of [laser](#) light at a wall and, invisible to the human eye, those pulses bounce off objects around the corner and bounce back to the wall and to the detector. Currently, this scan can take from two minutes to an hour, depending on conditions such as lighting and the reflectivity of the hidden object.

Once the scan is finished, the algorithm untangles the paths of the captured photons and, like the mythical image enhancement technology of television crime shows, the blurry blob takes much sharper form. It does all this in less than a second and is so efficient it can run on a regular laptop. Based on how well the algorithm currently works, the researchers think they could speed it up so that it is nearly instantaneous once the scan is complete.

Into the 'wild'

The team is continuing to work on this system, so it can better handle the variability of the real world and complete the scan more quickly. For example, the distance to the object and amount of ambient light can make it difficult for their technology to see the light particles it needs to resolve out-of-sight objects. This technique also depends on analyzing scattered light particles that are intentionally ignored by guidance systems currently in cars - known as LIDAR systems.



Graduate student David Lindell and Matt O'Toole, a post-doctoral scholar, work in the lab. Credit: L.A. Cicero

"We believe the computation algorithm is already ready for LIDAR systems," said Matthew O'Toole, a postdoctoral scholar in the Stanford Computational Imaging Lab and co-lead author of the paper. "The key question is if the current hardware of LIDAR systems supports this type of imaging."

Before this system is road ready, it will also have to work better in daylight and with objects in motion, like a bouncing ball or running child. The researchers did test their technique successfully outside but they worked only with indirect light. Their technology did perform particularly well picking out retroreflective objects, such as safety apparel or traffic signs. The researchers say that if the technology were placed on a car today, that car could easily detect things like road signs, safety vests or road markers, although it might struggle with a person wearing non-reflective clothing.

"This is a big step forward for our field that will hopefully benefit all of us," said Wetzstein. "In the future, we want to make it even more practical in the 'wild.'"

Wetzstein is also an assistant professor, by courtesy, of computer science and a member of Stanford Bio-X and the Stanford Neurosciences Institute.

More information: Confocal Non-Line-of-Sight Imaging Based on the Light Cone Transform, *Nature* (2018).

[nature.com/articles/doi:10.1038/nature25489](https://doi.org/10.1038/nature25489)

Provided by Stanford University

Citation: Technique to see objects hidden around corners (2018, March 5) retrieved 1 May 2024

from <https://phys.org/news/2018-03-technique-hidden-corners.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.