

Vegetable compound could have a key role in 'beeting' Alzheimer's disease

March 20 2018







Betanin, a substance found in beets, could eventually help slow the progression of Alzheimer's disease. Credit: Darrell Cole Cerrato

A compound in beets that gives the vegetable its distinctive red color could eventually help slow the accumulation of misfolded proteins in the brain, a process that is associated with Alzheimer's disease. Scientists say this discovery could lead to the development of drugs that could alleviate some of the long-term effects of the disease, the world's leading cause of dementia.

The researchers are presenting their work today at the 255th National Meeting & Exposition of the American Chemical Society (ACS).

"Our data suggest that betanin, a compound in beet extract, shows some promise as an inhibitor of certain chemical reactions in the <u>brain</u> that are involved in the progression of Alzheimer's disease," says Li-June Ming, Ph.D. "This is just a first step, but we hope that our findings will encourage other scientists to look for structures similar to betanin that could be used to synthesize drugs that could make life a bit easier for those who suffer from this disease."

More than 5 million Americans have Alzheimer's disease, according to the National Institute on Aging. Its incidence rises with age, affecting one in 10 Americans 65 and older, and one in three by age 85. Scientists are still trying to figure out what causes this progressive and irreversible brain disorder. But one prime suspect is beta-amyloid, a sticky protein fragment, or peptide, that accumulates in the brain, disrupting communication between brain cells called neurons. Much of this damage occurs, Ming says, when beta-amyloid attaches itself to metals such as iron or copper. These metals can cause beta-amyloid peptides to misfold and bind together in clumps that can promote inflammation and



oxidation—a process similar to rusting—in nearby neurons, eventually killing them.

Previous research conducted by other scientists suggests that beetroot juice can improve oxygen flow to the aging brain and possibly improve cognitive performance. Building on this work, Ming, Darrell Cole Cerrato and colleagues at the University of South Florida wanted to find out if betanin, a beet compound used in commercial dyes that readily binds to metals, could block the effects of copper on beta-amyloid and, in turn, prevent the misfolding of these peptides and the oxidation of neurons.

In laboratory studies, the researchers conducted a series of experiments involving 3,5 di-tert-butylcatechol, or DTBC, a compound that is used as a model substance for tracking the chemistry of oxidation. Using visible spectrophotometry, the scientists measured the oxidative reaction of DTBC when exposed to beta-amyloid only, beta-amyloid bound to copper, and copper-bound beta-amyloid in a mixture containing betanin.

On its own, beta-amyloid caused little or no oxidation of DTBC. However, as expected, beta-amyloid bound to copper induced substantial DTBC oxidation. But when betanin was added to the copper-bound betaamyloid mixture, the researchers found oxidation dropped by as much as 90 percent, suggesting that misfolding of the peptides was potentially suppressed.

"We can't say that betanin stops the misfolding completely, but we can say that it reduces oxidation," Cerrato says. "Less oxidation could prevent misfolding to a certain degree, perhaps even to the point that it slows the aggregation of beta-amyloid peptides, which is believed to be the ultimate cause of Alzheimer's."

More information: Title: "Beeting" Alzheimer's: Inhibition of Cu2+-β-



amyloid mediated oxidation and peroxidation by betanin from sugar beets

Abstract

Alzheimer's disease affected up to 5 million Americans in 2013 and is expected to grow to 14 million by 2050. One of the leading suspected biomolecules behind the disease is the the mis-folded and aggregated β amyloid peptide sequence, especially interaction with some biologically available metals, such as copper(II). This study establishes how another biologically available compound, betanin, found in sugar beets (Beta vulgaris) can bind to transition metals using paramagnetic NMR techniques and also compete with the subsequent metal-mediated redox chemistry performed by the Cu2+- β -amyloid, thus potentially reducing oxidative stress caused by the metal-bound amyloid.

Provided by American Chemical Society

Citation: Vegetable compound could have a key role in 'beeting' Alzheimer's disease (2018, March 20) retrieved 21 May 2024 from <u>https://phys.org/news/2018-03-vegetable-compound-key-role-beeting.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.