

Global warming is transforming the Great Barrier Reef

April 18 2018



The different color morphs of *Acropora millepora*, each exhibiting a bleaching response during mass coral bleaching event. Credit: ARC Centre of Excellence for Coral Reef Studies/ GergelyTorda

A new study published online today in *Nature* shows that corals on the northern Great Barrier Reef experienced a catastrophic die-off following the extended marine heatwave of 2016.

"When corals bleach from a heatwave, they can either survive and regain their colour slowly as the temperature drops, or they can die. Averaged across the whole Great Barrier Reef, we lost 30 per cent of the corals in the nine month period between March and November 2016," said Prof Terry Hughes, Director of the ARC Centre of Excellence for Coral Reef Studies (Coral CoE).

The scientists mapped the geographical pattern of heat exposure from satellites, and measured [coral](#) survival along the 2,300-km length of the Great Barrier Reef following the extreme [marine heatwave](#) of 2016.

The amount of coral death they measured was closely linked to the amount of bleaching and level of heat exposure, with the northern third of the Great Barrier Reef being the most severely affected. The study found that 29 per cent of the 3,863 reefs comprising the world's largest [reef](#) system lost two-thirds or more of their corals, transforming the ability of these reefs to sustain full ecological functioning.

"The coral die-off has caused radical changes in the mix of coral species on hundreds of individual reefs, where mature and diverse reef communities are being transformed into more degraded systems, with just a few tough species remaining," said co-author Prof Andrew Baird of Coral CoE at James Cook University.



A researcher accesses minor damage at Day Reef on the Great Barrier Reef following the March 2016 mass coral bleaching event. Credit: ARC Centre of Excellence for Coral Reef Studies/ Gergely Torda

"As part of a global heat and coral bleaching event spanning 2014-2017, the Great Barrier Reef experienced severe heat stress and bleaching again in 2017, this time affecting the central region of the Great Barrier Reef," said co-author Dr Mark Eakin of the U.S. National Oceanic and Atmospheric Administration.

"We're now at a point where we've lost close to half of the corals in shallow-water habitats across the northern two-thirds of the Great

Barrier Reef due to back-to-back bleaching over two consecutive years," said Prof Sean Connolly of Coral CoE at James Cook University.

"But, that still leaves a billion or so corals alive, and on average, they are tougher than the ones that died. We need to focus urgently on protecting the glass that's still half full, by helping these survivors to recover," said Prof Hughes.

The scientists say these findings reinforce the need for assessing the risk of a wide-scale collapse of reef ecosystems, especially if global action on [climate change](#) fails to limit warming to 1.5-2 °C above pre-industrial levels.

The study is unique because it tests the emerging framework for the International Union for Conservation of Nature (IUCN) Red List of Ecosystems, which seeks to classify vulnerable ecosystems as 'safe,' 'threatened' or 'endangered.'

"The Great Barrier Reef is certainly threatened by climate change, but it is not doomed if we deal very quickly with greenhouse gas emissions. Our study shows that coral reefs are already shifting radically in response to unprecedented heatwaves," said Prof Hughes.

The researchers warn that failure to curb climate change, causing global temperatures to rise far above 2 °C, will radically alter tropical reef ecosystems and undermine the benefits they provide to hundreds of millions of people, mostly in poor, rapidly-developing countries."

More information: Terry P. Hughes et al, Global warming transforms coral reef assemblages, *Nature* (2018). [DOI: 10.1038/s41586-018-0041-2](#)

Provided by ARC Centre of Excellence in Coral Reef Studies

Citation: Global warming is transforming the Great Barrier Reef (2018, April 18) retrieved 10 April 2024 from <https://phys.org/news/2018-04-global-great-barrier-reef.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.