


Graphene origami as a mechanically tunable plasmonic structure for infrared detection

April 24 2018



Mechanically tunable light absorption wavelength with wrinkled graphene structures. A schematic illustration of the uniaxially wrinkled graphene structure (left panel) showing a reversible mechanical change of the wrinkled structure. Optical absorption spectra (right panel) for the wrinkled graphene structures with various aspect ratio of wrinkle height (h) to wavelength (λ_c) Credit: University of Illinois College of Engineering

Soldiers often need to see through smoke, fog, dust or any other airborne obscurant and detect the presence of toxins or other chemicals in the field or on the front lines. To identify those chemicals, they use infrared (IR) sensors and spectroscopy, which allow a specific color of light to shine at a particular frequency corresponding to each chemical. Identifying each chemical will require a soldier to coat the goggle with a unique filter, enabling the chemical signature to come through at a

specific frequency (i.e., a specific color).

Researchers at the University of Illinois, however, have successfully developed a tunable infrared filter made from graphene, which would allow a soldier to change the frequency of a filter simply by controlled mechanical deformation of the filter (i.e., graphene origami), and not by replacing the substance on the goggles used to filter a particular spectrum of colors.

The research is funded by the Air Force Office of Scientific Research, which is interested in sensors that are not only sensitive to different IR wavelengths, but also mechanically controllable and tunable. The results are published in a paper titled "Mechanically Reconfigurable Architected Graphene for Tunable Plasmonic Resonances" in *Light: Science & Applications*.

This application is another in a series of discoveries of "wonder material" graphene by SungWoo Nam, an Assistant Professor of Mechanical Science and Engineering at the University of Illinois at Urbana-Champaign.

"Typically when you place graphene on a substrate, it is extremely transparent and absorbs only about three percent of [light](#)," Nam noted. "At certain angles, you can see it. We use this versatility to make other structures like flexible and transparent sensors out of graphene."

Because it's one-atom thin, graphene is normally used while flat. Nam's research team asked a question: what would happen if through origami (paper-folding art), you wrinkled the graphene? Could you change the properties of graphene by altering its topography?

According to Nam, scientists haven't tried this idea before with other conventional materials because they are brittle and not able to be bent

without breaking. What's unique about graphene is that it is not only thin, but it is resilient, meaning it doesn't break easily when it is bent.

"Let's say we create graphene wrinkles by mechanical deformation," Nam said. "If you get a certain dimension, is there going to be any changes in the way the light is going to be absorbed by the graphene? We wanted to link the dimensions of the wrinkled graphene to its optical absorption."

Nam's team discovered that indeed, wrinkled graphene absorbs light differently depending on the structure and dimensions through plasmonic resonances, thus producing different colors. In addition, unlike paper, which can't easily be flattened after folding or crumpling, graphene can be re-stretched to become flat and wrinkle free again. Not only that but the amount of light absorption can be altered by a factor of approximately 10.

"By changing the shape, you can absorb the light of a different frequency by controlling plasmonic resonance conditions," Pilgyu Kang, the first author of the paper and now an Assistant Professor at Mechanical Engineering Department at George Mason University, stated. "And by mechanically controlling the height and wavelength of the graphene wrinkles, I can excite different surface plasmons and thus absorb different frequency. At the end of the day, you get a tunable filter."

By choosing graphene as a filter for infrared goggles, the user can turn a knob to mechanically stretch and compress the graphene. That allows for a change of the light wavelength being absorbed. So as an example of its application, a soldier can thus easily tune the graphene filter to a desired wavelength to match the type of chemical he/she is looking for.

"In a conventional filter, once you make the filter, you are done," Nam

concluded. "No matter the size, there is one unique light wavelength. With [graphene](#), depending on how much you stretch and release, you can communicate in different light wavelengths."

More information: *Light: Science & Applications* (2018). [DOI: 10.1038/s41377-018-0002-4](#)

Provided by University of Illinois at Urbana-Champaign

Citation: Graphene origami as a mechanically tunable plasmonic structure for infrared detection (2018, April 24) retrieved 2 May 2024 from <https://phys.org/news/2018-04-graphene-origami-mechanically-tunable-plasmonic.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--