

Machine learning algorithm suggests ancient hominin remains not part of ritualistic burial

April 4 2018, by Bob Yirka



Side view of a baboon cranium from Misgrot Cave, South Africa. This is one of the comparative assemblages the authors used in the analysis. Credit: *PNAS*

An international team of researchers has used a machine learning algorithm to assess whether hominin bones found in caves were placed

there as part of a burial service by early human ancestors. In their paper published in *Proceedings of the National Academy of Sciences*, the group describes the factors they fed into the algorithm, and what it revealed.

One of the defining characteristics of humans is our ability to fully understand the nature of our own mortality—we are all going to die, and we all know it. But when did humans evolve to the point where this became so? Some researchers have suggested that it goes back several hundred thousand years. As evidence, they claim that hominin fossils found in caves in Spain (Sima de los Huesos) and South Africa (Dinaledi Chamber), both from the Middle Pleistocene, were put there by their fellow hominins as a part of a mortuary service, which, of course, suggests a possible understanding of the finality of death and the possibility of an afterlife. Not everyone agrees with that assessment, however. Thus, new ways to test for the possibility arise periodically. In this new effort, the researchers turned to machine learning to shed some light on the debate.

To assess whether the bones at the two sites were placed there intentionally or if they arrived by some other means, the researchers used a [learning algorithm](#) to analyze data regarding other burial sites, including those of modern humans, other primates and [archaic humans](#). They then programmed the algorithm to assign the sites to categories such as scavenged corpses, undisturbed human corpses, etc. Then they added data from the caves in Spain and South Africa to see how the algorithm would categorize them.



Partial baboon skeleton from Misgrot Cave, South Africa. This is one of the comparative assemblages the authors used in the analysis. Credit: *PNAS*

The researchers report that the algorithm assigned both sites to scavenged corpses, which suggests that the bones made their way into the caves via carrion animals carrying them to feed in relative peace. They note that the algorithm did not rule out the possibility of early hominins conducting burial services in general, just in these two cases.

The findings by the team will not settle the debate, of course. Research surrounding the remains in the two caves will undoubtedly continue, with each side using evidence, such as the learning [algorithm](#), to bolster their case.

More information: Charles P. Egeland et al. Hominin skeletal part abundances and claims of deliberate disposal of corpses in the Middle Pleistocene, *Proceedings of the National Academy of Sciences* (2018). DOI: [10.1073/pnas.1718678115](https://doi.org/10.1073/pnas.1718678115)

Abstract

Humans are set apart from other organisms by the realization of their own mortality. Thus, determining the prehistoric emergence of this capacity is of significant interest to understanding the uniqueness of the human animal. Tracing that capacity chronologically is possible through archaeological investigations that focus on physical markers that reflect "mortality salience." Among these markers is the deliberate and culturally mediated disposal of corpses. Some Neandertal bone assemblages are among the earliest reasonable claims for the deliberate disposal of hominins, but even these are vigorously debated. More dramatic assertions center on the Middle Pleistocene sites of Sima de los Huesos (SH, Spain) and the Dinaledi Chamber (DC, South Africa), where the remains of multiple hominin individuals were found in deep caves, and under reported taphonomic circumstances that seem to discount the possibility that nonhominin actors and processes contributed to their formation. These claims, with significant implications for charting the evolution of the "human condition," deserve scrutiny. We test these assertions through machine-learning analyses of hominin skeletal part representation in the SH and DC assemblages. Our results indicate that nonanthropogenic agents and abiotic processes cannot yet be ruled out as significant contributors to the ultimate condition of both collections. This finding does not falsify hypotheses of deliberate disposal for the SH and DC corpses, but does indicate that the data also support partially or completely nonanthropogenic formational histories.

Citation: Machine learning algorithm suggests ancient hominin remains not part of ritualistic burial (2018, April 4) retrieved 11 July 2024 from <https://phys.org/news/2018-04-machine-algorithm-ancient-hominin-ritualistic.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.