

Sluggish ocean currents caused European heat wave some 12,000 years ago

April 24 2018



A system of currents known as the Atlantic Meridional Overturning Circulation typically carries warm water from the tropics into the North Atlantic. It can have a big impact on the weather in Western Europe. Credit: R. Curry, Woods Hole Oceanographic Institution/Science/USGCRP



A study published today in *Nature Communications* investigates how the strong cooling of the North Atlantic Ocean impacted the European climate around 12,000 years ago. The findings could help scientists predict how climate change will exacerbate European heat waves and droughts in the future.

Ordinarily, an ocean current system called the Atlantic Meridional Overturning Circulation (AMOC) steers warm tropical waters into the North Atlantic, helping to keep Western Europe warm. But about 12,000 years ago, during a chilly period known as the Younger Dryas, the AMOC slowed down, which meant the North Atlantic cooled; climate models and reconstructions based on pollen and insect records suggest that Europe cooled, too. However, <u>plant fossils</u> and new simulations, collected and created by a team of researchers from nine institutions, including Columbia University, indicate that this picture isn't entirely correct. The study was led by paleoclimate researcher Frederik Schenk from Stockholm University.

The authors modelled the global climate of the Younger Dryas cooling with at least four times higher spatial resolution than previous simulations. Their findings confirm Europe's frigid conditions in the winter and spring during this period. However, they also found that Europe's summers actually warmed up by 0.4 to 1.5 degrees Kelvin (about 0.9 to 2.7 degrees Fahrenheit), rather than cooling by several degrees. Plant fossils in lake sediment cores across Europe confirmed these findings.

But how did summers keep warming despite strong oceanic cooling? The Fennoscandian Ice Sheet, which covered much of northern Europe in up to two kilometers (1.2 miles) of ice during the Younger Dryas, may have played a role. The team's climate simulations indicate that the cold air over the <u>ice sheet</u> created a high pressure system that blocked the cool winds coming off the North Atlantic from reaching the continent. In



addition, the sunny, cloudless skies that came along with the high pressure system helped to make European summers warmer, says Francesco Muschitiello, a co-author on the paper and adjunct at Columbia's Lamont-Doherty Earth Observatory.

The simulations suggest that this high-pressure blocking system can arise naturally whenever the North Atlantic Ocean is very cold—and the colder the ocean, the more intensely the land warms.

The findings support the relatively new idea that a cooling down of the North Atlantic could be an important driver of European <u>heat waves</u> and droughts even today. Nowadays, as the Greenland Ice Sheet melts, the influx of meltwater is once again <u>slowing the AMOC</u> and cooling the North Atlantic. Previously, researchers suspected that a weaker AMOC would <u>make Europe colder</u> in the future.

The team's simulations are more robust for studying the Younger Dryas period, but they suggest that further slowing down of the AMOC could instead make heat waves more common in Europe's future.

"There's a growing concern about how AMOC weakening is going to affect regional climate and weather extremes," says Muschitiello. "This study has important implications for our ability to predict heat waves and drought in Europe, as the models we use for climate predictions strongly underestimate blocking circulation, and therefore may under-estimate the impact of a weaker AMOC on European <u>climate</u> and water resources."

More information: Frederik Schenk et al. Warm summers during the Younger Dryas cold reversal, *Nature Communications* (2018). DOI: 10.1038/s41467-018-04071-5



This story is republished courtesy of Earth Institute, Columbia University <u>http://blogs.ei.columbia.edu</u>.

Provided by Earth Institute, Columbia University

Citation: Sluggish ocean currents caused European heat wave some 12,000 years ago (2018, April 24) retrieved 23 May 2024 from https://phys.org/news/2018-04-sluggish-ocean-currents-european-years.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.