

# Study provides video evidence of parental infanticide in a grassland bird species

April 19 2018

---



A new University of Illinois study provides video evidence of parental infanticide in dickcissels, small grassland birds of the Midwestern US. Credit: Scott Nelson

Baby birds go missing from their nests all the time. Usually, the disappearances are chalked up to predation, but in extremely rare cases,

parents have been observed removing their own chicks from their nests. In a new study from the University of Illinois, the mysterious and fatal behavior is documented in dickcissels for the first time.

"In the early days, chicks can't survive outside the nest. They can't regulate their temperature," says Jaime Coon, lead author of the paper and graduate student in the Department of Natural Resources and Environmental Sciences at U of I.

The researchers didn't go looking for [birds](#) committing parental [infanticide](#). They had been monitoring dickcissel nests as part of a larger ongoing study examining the effects of fire, grazing, and [herbicide application](#) on the grassland-dwelling species. The team trained high-definition video cameras on the nests to monitor diet and feeding behavior.

Coon says these cameras are a huge leap forward for nest monitoring because they provide much greater resolution than traditional monitoring tools. The downside? The batteries only last a few hours. The fact that they caught this rare behavior in such a short timeframe is what makes the discovery so surprising.

In the video, the mother bird can be seen grasping a chick by the leg and carrying it out of the nest. "It's kind of brutal," Coon says.

"Parental infanticide has been suspected in other birds, but it's hard to confirm," she adds. "Dickcissels have identifiable markings, so we were able to confirm it was the female parent that committed the infanticide. We saw her badge - a throat marking - and said, 'that's her nestling.'"

Coon can't definitively explain the [behavior](#), but she says the observation leads to interesting ecological and evolutionary questions and some possible explanations.

"It leads us to wonder why a mother bird would kill her own nestling - it doesn't make sense," she says. "It was five days old, so she had already put in a lot of investment. Why would she get rid of it?"

"She could have been stressed, or might not have been able to find enough food. And it's possible it could have been a reaction to being filmed."

Because it was a one-time observation and not the goal of the original study, the researchers can't prove their hypotheses. But the discovery leaves open the possibility that parental infanticide is happening more often than previously thought. And if so, Coon says, ecologists should be taking the phenomenon into account.

"In most [nest](#)-monitoring studies, the researchers come back and visit every one to three days. If you lose a nestling in between, you think maybe a snake stopped by and grabbed just one. Predators will do that sometimes," she says. "But if you're assuming it's predation and using that in your analyses, that may be incorrect. It could be parental infanticide."

**More information:** "An observation of parental infanticide in Dickcissels (*Spiza americana*): video evidence and potential mechanisms," *Wilson Journal of Ornithology*, [DOI: 10.1676/16-202.1](https://doi.org/10.1676/16-202.1)

Provided by University of Illinois at Urbana-Champaign

Citation: Study provides video evidence of parental infanticide in a grassland bird species (2018, April 19) retrieved 4 May 2024 from <https://phys.org/news/2018-04-video-evidence-parental-infanticide-grassland.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.