

Cloaking devices—it's not just 'Star Trek' anymore

May 10 2018



Scientists are now working to take cloaking devices from the dramatic realm of science fiction and make them real. Amanda D. Hanford, at Pennsylvania State University, is taking the introductory steps to make acoustic ground cloaks. These materials redirect approaching waves around an object without scattering the wave energy, concealing the object from the sound waves. During the 175th ASA Meeting, Hanford will describe the physics behind an underwater acoustic shield designed in her lab. This image is a Profile picture of the assembled perforated plate ground cloak. Credit: Peter Kerrian



Cloaking devices play a pivotal role in many sci-fi television programs. Scientists are now working to take this technology from the dramatic realm of science fiction and make it real. Amanda D. Hanford, at Pennsylvania State University, is taking the introductory steps to make acoustic ground cloaks. These materials redirect approaching waves around an object without scattering the wave energy, concealing the object from the sound waves.

During the 175th Meeting of the Acoustical Society of America, being held May 7-11, 2018, in Minneapolis, Minnesota, Hanford will describe the physics behind an underwater acoustic shield designed in her lab.

Hanford and her team set out to engineer a metamaterial that can allow the sound waves to bend around the object as if it were not there. Metamaterials commonly exhibit extraordinary properties not found in nature, like negative density. To work, the unit cell—the smallest component of the metamaterial—must be smaller than the acoustic wavelength in the study.

"These materials sound like a totally abstract concept, but the math is showing us that these properties are possible," Hanford said. "So, we are working to open the floodgates to see what we can create with these materials."

To date, most <u>acoustic metamaterials</u> have been designed to deflect <u>sound waves</u> in air. Hanford decided to take this work one step further and accept the scientific challenge of trying the same feat underwater. Acoustic cloaking underwater is more complicated because water is denser and less compressible than air. These factors limit engineering options.



After multiple attempts, the team designed a 3-foot-tall pyramid out of perforated steel plates. They then placed the structure on the floor of a large underwater research tank. Inside the tank, a source hydrophone produced acoustic waves between 7,000 Hz and 12,000 Hz, and several receiver hydrophones around the tank monitored reflected <u>acoustic</u> <u>waves</u>.

The wave reflected from the metamaterial matched the phase of the reflected wave from the surface. Additionally, the amplitude of the reflected wave from the cloaked object decreased slightly. These results demonstrate that this material could make an object appear invisible to underwater instruments like sonar.

Using linear coordinate transformation, the researchers were able to map the flat surface of the bottom of the tank and determined that space was compressed into two triangular cloaking regions consisting of the engineered metamaterial.

These results show potential to contribute to real-world applications, such as acoustic materials to dampen <u>sound</u> and appear invisible underwater.

More information: 4aSA6 "Underwater acoustic ground cloak development and demonstration," by Peter Kerrian, Amanda Hanford, Benjamin Beck and Dean Capone, is at 10:45 a.m. CDT, May 10, 2018, in room Greenway C at the Hyatt Regency Minneapolis. <u>acousticalsociety.org/asa-meetings/</u>

Provided by Acoustical Society of America

Citation: Cloaking devices—it's not just 'Star Trek' anymore (2018, May 10) retrieved 2 May



2024 from https://phys.org/news/2018-05-cloaking-devicesit-star-trek-anymore.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.