

## Deep learning extends imaging depth and speeds up hologram reconstruction

May 31 2018



Deep learning enables expedient hologram reconstruction, while extending imaging depth. Credit: UCLA Ozcan Research Group



Deep learning, which uses multi-layered artificial neural networks, is a form of machine learning that has demonstrated significant advances in many fields, including natural language processing, image/video labeling and captioning. In image processing, deep learning demonstrates significant potential for automated identification and labeling of features of interest, such as abnormal regions in a medical image.

UCLA researchers have demonstrated an innovative application of <u>deep</u> learning to significantly extend the imaging depth of a hologram. In holography, image <u>reconstruction</u> requires performing autofocusing and phase recovery, which are in general cumbersome and time-consuming to perform over a large sample volume. In a recent article published in *Optica*, a journal of the Optical Society of America, UCLA researchers have demonstrated a new approach they termed HIDEF based on a <u>convolutional neural network</u> that simultaneously performs autofocusing and phase recovery to significantly extend the image depth of field and the reconstruction speed in holography.

This research was led by Dr. Aydogan Ozcan, the Chancellor's Professor of electrical and computer engineering at UCLA and an HHMI Professor with the Howard Hughes Medical Institute, along with Yichen Wu, a graduate student, and Dr. Yair Rivenson, a postdoctoral scholar, both at the UCLA electrical and computer engineering department.

The authors validated this deep learning based approach by successfully reconstructing holograms of aerosols and human tissue samples. Overall, this approach significantly boosts the computational efficiency and the reconstruction speed of high-resolution holographic imaging by simultaneously performing autofocusing and phase recovery, which also increases the robustness of the image reconstruction process to potential misalignments in the optical setup by extending the depth of the reconstructed images.





Comparison of HIDEF results against free-space back-propagation (CNN Input) and multi-height phase recovered (MH Phase Recovered) results, as a function of axial defocus distance (dz). Credit: UCLA Ozcan Research Group

"Deep learning is mysteriously powerful and has been surprising optics



researchers in what it can achieve for advancing optical microscopy, and introducing new <u>image reconstruction</u> methods. From physics-inspired optical designs/devices, we are moving toward data-driven designs that will holistically change both optical hardware and software of next generation microscopy, blending the two in new ways," added Ozcan.

Other members of the research team were Yibo Zhang, Zhensong Wei, Harun Günaydin and Xing Lin, members of the Ozcan Research Lab at UCLA.

**More information:** Yichen Wu et al. Extended depth-of-field in holographic imaging using deep-learning-based autofocusing and phase recovery, *Optica* (2018). DOI: 10.1364/OPTICA.5.000704

Provided by UCLA Ozcan Research Group

Citation: Deep learning extends imaging depth and speeds up hologram reconstruction (2018, May 31) retrieved 25 April 2024 from <u>https://phys.org/news/2018-05-deep-imaging-depth-hologram-reconstruction.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.