

GRACE-FO will help monitor droughts

May 15 2018, by Alan Buis



GRACE Follow-On's measurements of changes in water stored underground will be used in producing U.S. Drought Monitor maps, which track drought nationwide. Credit: USDA

You may not notice water in the ground under your feet, but it plays an important role in keeping you alive. Plants draw water from soil into their roots and use it to grow. If there's not enough, the resulting drought may have impacts that spread across local water supplies, regional agriculture and even international food prices. NASA's Gravity Recovery and Climate Experiment (GRACE) mission was the first



satellite system to directly measure global changes in the water stored underground in the world's largest aquifers. GRACE Follow-On, scheduled to launch this month, will continue this important task.

"There really are no remote sensing products that are equivalent to GRACE data in giving a snapshot of conditions in deep aquifers," said Brian Wardlow, director of the Center for Advanced Land Management Information Technologies at the University of Nebraska, Lincoln. Wardlow is familiar with the value of this information in understanding drought. He worked at the National Drought Mitigation Center (NDMC) in Lincoln when the original GRACE data were first incorporated into experimental products of the weekly U.S. Drought Monitor maps. The maps show <u>soil moisture</u> at three underground levels: the top few inches of soil, the top few feet/one meter of soil (the root zone), and aquifers.

The U.S. Drought Monitor maps are one of the nation's most important tools for tracking drought across the United States. They are widely used by decision makers at federal and state levels. For example, the current U.S. Farm Bill designates the Drought Monitor's county-by-county drought rankings as the standard for judging eligibility for some federal disaster assistance programs.

Climatologist Brian Fuchs of NDMC, one of the team of scientists who author the drought maps, explained that soil moisture is sparsely measured on the ground. "Some states have their own [ground] networks, but the data is spotty, and that makes it very difficult to use the products in a national assessment," he said. "GRACE covers the entire country, and it helps us to get an idea of where areas of wetness and dryness are."

The NDMC also considered GRACE data in producing other NDMC resources such as the Quick Drought Response Index (QuickDRI), a NASA-supported project with multiple institutional partners. QuickDRI is an early warning system for flash droughts—rapidly developing losses



of soil moisture due to heat waves and lack of rain. The onset of a flash drought is hard to detect at ground level, but its impacts on agriculture may be as harsh as those of a seasonal drought.

Getting the Data into the Maps

When GRACE launched in 2002, the science team knew the data would be useful for measuring the depletion of large aquifers. However, most hydrologists were unfamiliar with the measurement. One of the few exceptions was Matt Rodell, now chief of the Hydrological Sciences Laboratory at NASA's Goddard Space Flight Center in Greenbelt, Maryland. Rodell had recently done his doctoral research on how the new GRACE data could be used for monitoring underground water.





A U.S. Drought Monitor map from September 2015, while the GRACE mission was active, showing severe drought in California, Nevada and New Mexico. GRACE-FO data will be used in similar products. Credit: NDMC

GRACE-FO, like GRACE, is designed to measure changes in gravitational pull that result from changes in mass on Earth. More than 99 percent of Earth's mean gravitational pull does not change from one month to the next. That's because it comes from the mass of the solid Earth itself—its surface and interior—and that rarely moves, or moves very slowly. Water, on the other hand, moves continually nearly everywhere: Snow falls, ocean currents flow, ice melts and so on. As the twin GRACE-FO satellites orbit Earth, one closely following the other, the changes in mass below change the distance between the two satellites very slightly. The record of these changes is analyzed to create monthly global maps of changes and redistribution of Earth's mass near the surface.

Since the techniques used by GRACE record the total change in mass from month to month, not whether that change occurred above ground, near the surface in the soil, or well below ground, Rodell and Jay Famiglietti, now at NASA's Jet Propulsion Laboratory in Pasadena, California, needed to combine the GRACE data with meteorological and other data to separate the underground water changes from above-ground and near-surface changes. After several experiments with the combined observations, Rodell and Famiglietti were able to isolate the signal of changing water in aquifers for the first time ever using remote sensing data.

Another obstacle between GRACE and operational drought monitoring was a mismatch in time and spatial scales. GRACE data products were



produced once a month with a resolution of about 115 square miles (300 square kilometers). Water managers need new data every few days to keep up with changing soil moisture, and they would prefer to have it on the scale of their county, district or similar smaller area. Rodell and his team at Goddard assimilated the GRACE data and a long-term record of weather observations such as precipitation, temperature and solar radiation into a NASA hydrology model, called the Catchment Land Surface Model. It is a numerical model of water and energy processes on land, developed for research on the global water cycle. With sophisticated numerical modeling techniques and data analysis, the Goddard team was able to downscale the GRACE data, that is, to adapt its larger time and space scales to "fit" the model's finer scales.

The team generated experimental drought indicators from downscaled data each week from 2011 until the GRACE mission ended in October 2017.

Looking Ahead

Because the original GRACE mission ended after the end of the growing season last fall, NDMC's Fuchs said that its loss has not yet been strongly felt by the Drought Monitor mappers. "We would be looking for GRACE in the growing season, where soil moisture is pertinent to determining crops and vegetation," he said. "In a couple more months, people will be asking, 'Where are these data?'"

Those people will most likely have their answer before the 2019 growing season, as GRACE Follow-On begins delivering monthly maps. Fuchs said, "If it's going to behave as GRACE did in the past, it will be a valuable asset."

More information: For more information on GRACE-FO, see <u>gracefo.jpl.nasa.gov/</u>



Provided by Jet Propulsion Laboratory

Citation: GRACE-FO will help monitor droughts (2018, May 15) retrieved 3 May 2024 from <u>https://phys.org/news/2018-05-grace-fo-droughts.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.