

How does a one-tonne dino hatch its eggs? Carefully

May 16 2018, by Marlowe Hood



Feathered carnivores called oviraptorosaurs did not sit directly on their eggs, so as not to crush them, a new study found

Most dinosaurs buried their eggs and hoped for the best, but some species—including a few hefty ones—built nests and pampered unhatched offspring much as birds do today, researchers reported

Wednesday.

Which raises an intriguing question: How did creatures nearly as heavy as a hippo brood eggs without squashing them?

"Large [species](#) may have not sat directly on their eggs," explained Kohei Tanaka, a researcher at Nagoya University Museum and lead author of a study in *Biology Letters* that details the incubation strategy of feathered carnivores called oviraptorosaurs.

"Eggs are arranged in a circular pattern with a large central opening," he told AFP, describing clutches of potato-shaped eggs found in China up to half-a-metre (20 inches) long and weighing up to seven kilos (15 pounds) each.

"The [dinosaurs](#) likely sat in the middle of the nest so that they didn't crush the eggs."

That didn't keep the unborn dinos warm, but it may have protected them from predators and the elements, Tanaka speculated.

Modern birds descend from a large group of mostly carnivorous dinosaurs called theropods, all of which—including the fearsome T-rex—are thought to have laid eggs.

But very few theropods built nests, which is why the brooding displayed by oviraptorosaurs—a clade of several dozen species ranging from the turkey-sized Caudipteryx to the 1.4-tonne Gigantoraptor—is so important.

Sitting on eggshells

"The incubation behaviour of birds—such as adults sitting in the [nest](#)

and possibly brooding—likely evolved from theropod dinosaurs," said Tanaka. "Our research provides additional evidence."

Oviraptorosaurs lived during the Cretaceous period, the 80 million years leading up to the asteroid or comet strike blamed for wiping out non-avian, terrestrial dinosaurs.

They had short snouts and beak-like jaws with few or no teeth, and some sported bony crests on their heads. Evidence of generous plumage—especially on the tail—has been found on several species.

Besides the spoke-like arrangement of the fossilised eggs, the eggshell itself provided further evidence that large oviraptorosaurs sat near their unborn progeny, not on top of them.

The eggs of big dinos, the researchers discovered, were more fragile than the eggs of smaller ones, which were clearly designed to carry more weight.

How big is too big to park a dino butt on top of unhatched eggs?

"That's hard to say," said Tanaka. "There is a gap in the data, but the threshold should be between 200 and 500 kilos (440 and 1,110 pounds)."

Oviraptorosaurs were falsely accused by early paleontologists of stealing the [eggs](#) so often found along side their fossil remains, giving rise to their name: "egg-thief lizards."

More information: Incubation behaviours of oviraptorosaur dinosaurs in relation to body size, *Biology Letters*, [rsbl.royalsocietypublishing.org1098/rsbl.2018.0135](https://rsbl.royalsocietypublishing.org/doi/10.1098/rsbl.2018.0135)

© 2018 AFP

Citation: How does a one-tonne dino hatch its eggs? Carefully (2018, May 16) retrieved 20 March 2024 from <https://phys.org/news/2018-05-one-tonne-dino-hatch-eggs-carefully.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.