


# OPERA collaboration presents its final results on neutrino oscillations

May 22 2018

---



View of the OPERA detector (on the CNGS facility) with its two identical Super Modules, each one containing one target section and one spectrometer. Credit: CERN

The OPERA experiment, located at the Gran Sasso Laboratory of the Italian National Institute for Nuclear Physics (INFN), was designed to conclusively prove that muon-neutrinos can convert to tau-neutrinos, through a process called neutrino oscillation, whose discovery was awarded the 2015 Nobel Physics Prize. In a paper published today in the journal *Physical Review Letters*, the OPERA collaboration reports the observation of a total of ten candidate events for a muon to tau-neutrino conversion, in what are the very final results of the experiment. This demonstrates unambiguously that muon neutrinos oscillate into tau neutrinos on their way from CERN, where muon neutrinos were produced, to the Gran Sasso Laboratory 730km away, where OPERA detected the ten tau neutrino candidates.

Today the OPERA collaboration has also made their data public through the [CERN Open Data Portal](#). By releasing the data into the public domain, researchers outside the OPERA Collaboration have the opportunity to conduct novel research with them. The datasets provided come with rich context information to help interpret the data, also for educational use. A visualiser enables users to see the different events and download them. This is the first non-LHC data release through the CERN Open Data portal, a service launched in 2014.

There are three kinds of neutrinos in nature: electron, [muon](#) and tau neutrinos. They can be distinguished by the property that, when interacting with matter, they typically convert into the electrically charged lepton carrying their name: electron, muon and tau leptons. It is these leptons that are seen by detectors, such as the OPERA detector, unique in its capability of observing all three. Experiments carried out around the turn of the millennium showed that [muon neutrinos](#), after travelling long distances, create fewer muons than expected, when interacting with a detector. This suggested that muon neutrinos were oscillating into other types of neutrinos. Since there was no change in the number of detected electrons, physicists suggested that muon neutrinos

were primarily oscillating into tau neutrinos. This has now been unambiguously confirmed by OPERA, through the direct observation of [tau neutrinos](#) appearing hundreds of kilometres away from the muon neutrino source. The clarification of the oscillation patterns of neutrinos sheds light on some of the properties of these mysterious particles, such as their mass.

The OPERA collaboration observed the first tau-lepton event (evidence of muon-neutrino oscillation) in 2010, followed by four additional events reported between 2012 and 2015, when the discovery of tau neutrino appearance was first assessed. Thanks to a new analysis strategy applied to the full data sample collected between 2008 and 2012 – the period of neutrino production—a total of 10 candidate events have now been identified, with an extremely high level of significance.

"We have analysed everything with a completely new strategy, taking into account the peculiar features of the events," said Giovanni De Lellis Spokesperson for the OPERA collaboration. "We also report the first direct observation of the tau neutrino lepton number, the parameter that discriminates neutrinos from their antimatter counterpart, antineutrinos. It is extremely gratifying to see today that our legacy results largely exceed the level of confidence we had envisaged in the experiment proposal."

Beyond the contribution of the experiment to a better understanding of the way [neutrinos](#) behave, the development of new technologies is also part of the legacy of OPERA. The collaboration was the first to develop fully automated, high-speed readout technologies with sub-micrometric accuracy, which pioneered the large-scale use of the so-called nuclear emulsion films to record particle tracks. Nuclear emulsion technology finds applications in a wide range of other scientific areas from dark matter search to volcano and glacier investigation. It is also applied to optimise the hadron therapy for cancer treatment and was recently used

to map out the interior of the Great Pyramid, one of the oldest and largest monuments on Earth, built during the dynasty of the pharaoh Khufu, also known as Cheops.

**More information:** N. Agafonova et al. Final Results of the OPERA Experiment on  $\nu\tau$  Appearance in the CNGS Neutrino Beam, *Physical Review Letters* (2018). DOI: [10.1103/PhysRevLett.120.211801](https://doi.org/10.1103/PhysRevLett.120.211801) , [arxiv.org/abs/1804.04912](https://arxiv.org/abs/1804.04912)

Provided by CERN

Citation: OPERA collaboration presents its final results on neutrino oscillations (2018, May 22) retrieved 20 March 2024 from <https://phys.org/news/2018-05-opera-collaboration-results-neutrino-oscillations.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--