


Optimizing lithium-sulfur battery electrolytes for long life

May 24 2018



Rechargeable lithium-sulfur batteries, where the electrodes are made of lithium (Li) metal and sulfur (S) separated by a liquid electrolyte, could replace lithium-ion batteries if we could understand how to stop reactions that diminish the battery performance. During battery operation, polysulfide ions are formed at the sulfur electrode, but they can dissolve into the electrolyte and eventually limit the battery performance. Calculations show extensive cluster formation (left structure $(\text{Li}_2\text{S}_4)_n$) occurs for shorter polysulfides, which limits the solubility of the shorter ions in pure solvent. Less clustering occurred when a lithium salt was added to the solvent to form the liquid electrolyte (right structure $(\text{Li}_2\text{S}_4)_{n-x} \text{TFSI}_{n-}$), which unexpectedly increased the solubility of the shorter ions in the electrolyte. These snapshots of the structures provide insights on electrolyte design to enable better batteries.

In the future, lithium-sulfur (Li-S) rechargeable batteries could hold

more energy and cost less than lithium-ion batteries if they can be made to last longer. A key challenge is preventing the polysulfide ions that must form at the sulfur electrode during discharge from being transported through the liquid electrolyte to the other electrode. Here, researchers discovered how the solubility and transport of polysulfide ions in the liquid electrolyte relates to the chain length of the polysulfide ion, the tendency of the ion to cluster, and the amount of lithium salt present in the electrolyte. It is noteworthy that polysulfides of any chain length or structure dissolved in the liquid electrolyte can contribute to poorer performance of the battery.

Increasing the lifetimes of lithium-sulfur [rechargeable batteries](#) requires preventing polysulfide transport between electrodes during operation. Knowledge of how the [salt](#) and solvent molecules of the [electrolyte](#) interact with polysulfides helps in understanding their solubility. Insights from studies on these interactions could aid in the design of new electrolytes for longer lasting, practical lithium-sulfur rechargeable batteries.

The lithium-sulfur battery has a theoretical energy density much greater than commercial [lithium-ion batteries](#); however, the technology exhibits fade and hence limited battery life. In these batteries, active sulfur species (as dissolved polysulfide ions) migrate to the lithium metal electrode. Then, irreversible reactions involving these polysulfides can occur at the [electrode](#) that result in the loss of its ability to store charge. Attempts to protect the metal from the polysulfides have been only partially successful.

Scientists at the Joint Center for Energy Storage Research have focused on tuning the electrolyte composition to control how polysulfides dissolve, move, and interact. Recently, using combined theoretical and experimental studies, the scientists discovered that the solubility of polysulfides (Li_2S_x , $x=2-8$) depend on the chain length of the sulfide ion.

Shorter polysulfides form large clusters, with up to fifteen ions in each cluster, which limits their solubility. Longer polysulfides (with more than four sulfur atoms) show higher solubility, but slow transport in the pure solvent. Surprisingly, the addition of a lithium salt to form an electrolyte solution increased the [solubility](#) of the short chain polysulfides by providing favorable interactions between the salt and the polysulfides.

The researchers also calculated and measured experimentally the diffusion rates for the lithium ion and other species in the electrolytes at different salt/solvent ratios. High salt concentrations could favorably control how polysulfides dissolve, but resulted in reduced mobility for ionic species and insufficient ionic conductivity. Understanding the structure and dynamics of lithium-sulfur electrolytes provides an opportunity to fine-tune the composition of the electrolyte. With these insights, future electrolytes could be designed to provide efficient transport of ions between the electrodes, while suppressing the dissolution and migration of polysulfide species.

More information: Nav Nidhi Rajput et al. Elucidating the Solvation Structure and Dynamics of Lithium Polysulfides Resulting from Competitive Salt and Solvent Interactions, *Chemistry of Materials* (2017). [DOI: 10.1021/acs.chemmater.7b00068](https://doi.org/10.1021/acs.chemmater.7b00068)

Provided by US Department of Energy

Citation: Optimizing lithium-sulfur battery electrolytes for long life (2018, May 24) retrieved 3 May 2024 from <https://phys.org/news/2018-05-optimizing-lithium-sulfur-battery-electrolytes-life.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.