


# Red Planet rover set for extreme environment workout

May 30 2018

---



The structural model of the ExoMars rover, provided by ESA as part of the ESA/Roscosmos ExoMars mission, with three of its six wheels visible. In this configuration they are folded up against the rover body; they will be released after landing. The white panel towards the right is a radiator. The black square on the white panel is the inlet through which soil samples delivered by the drill will enter. Credit: Airbus Defence and Space UK

A representative model of the ExoMars rover that will land on Mars in 2021 is beginning a demanding test campaign that will ensure it can survive the rigours of launch and landing, as well as operations under the environmental conditions of Mars.

ExoMars is a joint endeavour between ESA and Roscosmos, with the Trace Gas Orbiter already at Mars and beginning its science mission to look for atmospheric gases that may be linked to active geological or biological processes. The orbiter will relay the data collected by the [rover](#) back to Earth, a capability already demonstrated with communications relays to NASA's rovers currently on Mars.

The ExoMars rover will be the first of its kind to drill below the surface – down to 2 m – and determine if evidence of life is buried underground, protected from the destructive radiation that impinges the surface today.

Like any space mission, the rover's mechanical structure, along with its electrical and thermal components and its interfaces with the scientific instruments, have to be tested to check they can survive their journey in space and operations at the destination.

As such the rover 'structural and thermal model' was recently transferred from Airbus Defence and Space in Stevenage, UK, to the Airbus site in Toulouse, France. This week, the model will be shaken on a vibration table to ensure it can survive the intense juddering as the Proton rocket carries it into space.




The structural model of the ExoMars rover, provided by ESA as part of the ESA/Roscosmos ExoMars mission, in which two out of the three wheel bogies can be seen facing the viewer. The black box towards the left is the drill box. The drill will be capable of accessing down to two metres below the surface to retrieve samples that may be better preserved against the harsh radiation experienced at the surface. Credit: Airbus Defence and Space UK

Furthermore, the rover model will be subjected to the shocks associated with entering another planet's atmosphere at high speed and as parachutes open, and finally the touchdown onto the Red Planet's surface.



Two months of thermal tests will follow under Mars atmosphere conditions, to qualify the rover for being able to withstand the frigid temperatures and large daily temperature variations on Mars.

The tests will be conducted in a chamber to simulate the low atmospheric pressure of Mars – less than 1% of Earth's average sea level pressure – and its carbon dioxide-rich atmosphere. The rover will also need to operate at temperatures down to  $-120^{\circ}\text{C}$ . A closed compartment inside the rover, where martian soil samples will be analysed, will be thermally controlled to maintain temperatures between  $+20^{\circ}\text{C}$  and  $-40^{\circ}\text{C}$ .



A rear view of the structural model of the ExoMars rover, provided by ESA as part of the ESA/Roscosmos ExoMars mission. The blue panels represent the solar arrays. The two square-shaped objects at the bottom will host the rover's ground penetrating radar antennas, which will use radio waves to detect the subsurface structure down to five metres. This will enable the rover to detect an icy layer, for example, which will help guide where the drill will collect samples from. Credit: Airbus Defence and Space UK


The current test campaign is expected to last until the beginning of August 2018. The rover model will then move to Lavochkin, Moscow, where it will be sealed inside a replica descent module and again subjected to vibration, shock and thermal tests.

Another [test](#) model will soon start an eight month-long campaign focusing on the rover's movements and navigation over a variety of different ground types, ranging from fine-grained soil to larger boulders.

The mission will travel to Mars inside an aeroshell, with the rover mounted on a surface science platform. Once safely delivered to the Red Planet's surface, the landing platform will deploy its solar panels and ramps, and within a few days the rover will drive off the platform and begin its exciting exploration of Mars.

"This campaign kicks off a series of tests that will verify the mechanical and thermal design of the ExoMars rover, essential preparation that brings us a step closer to roving on the Red Planet," says Pietro Baglioni, ESA ExoMars rover team leader.





Front view of the structural model of the ExoMars rover, provided by ESA as part of the ESA/Roscosmos ExoMars mission. The black box at the front will contain the rover's drill, which will retrieve samples and deliver them to the onboard laboratory through the gap seen in the white panel at the front left. Credit: Airbus Defence and Space UK

Provided by European Space Agency

Citation: Red Planet rover set for extreme environment workout (2018, May 30) retrieved 15 May 2024 from <https://phys.org/news/2018-05-red-planet-rover-extreme-environment.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.