


Reservation for two species—fisherman and dolphins are grabbing a bite at the same NY artificial reef

May 25 2018







This underwater microphone heard people and dolphins using an artificial reef in New York to find fish to eat. Credit: Stony Brook University

There's plenty of fish in the sea for human fisherman and bottlenose dolphins to feast on and now, according to a study by researchers at Stony Brook University published in *Marine Mammal Science*, both species are using a New York artificial reef at the same time to find fish to eat – a new finding.


Using an <u>underwater microphone</u> deployed at 55 feet on an artificial reef three miles south of Atlantic Beach on Long Island, researchers were able to observe the sounds made by both species to determine eating habits and timing. Stony Brook graduate student in the School of Marine and Atmospheric Sciences and lead author, Colin Wirth, listened to recordings from a six-day period in June 2015 and identified sounds from human activity (recreational <u>boat</u> engine <u>noise</u>), <u>bottlenose</u> <u>dolphins</u> and noise-making fish (weakfish, oyster toadfish.)

"Dolphins make lots of very different sounds – whistles to communicate, clicks to find fish and even one that sounds like a gun going off. Boat noises are very distinct, you can hear the engines go in and of gear, so you can tell when boats are drifting at idle or are moving back and forth over the reef. It's interesting to think about how we used the sounds to identify what fish were present and wonder if the dolphins are doing the same thing," said Wirth.

The underwater microphone also captured sounds from animals that were not seen visually during numerous visits to the reef. "With the planned expansion of the NY artificial reef program by New York State, there are numerous opportunities to extend this work to multiple locations and new sites to further study how humans and dolphins (as



well as other species) are sharing these habitats," said Joe Warren, Stony Brook University SoMAS Associate Professor, Wirth's advisor and coauthor of the study.



Co-author Dr. Joseph Warren recovers the underwater microphone that was deployed on a New York artificial reef to study how humans and dolphins use the reef as a food source. Credit: Stony Brook University

Multiple artificial reefs have been constructed by New York State and are designed to attract <u>fish</u> and provide a productive location for recreational fisherman to use.



Sound Check

According to researchers, boat noises began to rise in the early morning before tapering off in the mid-afternoon and were louder on weekends than on weekdays. While dolphin noises were heard regularly at the reef both day and night. During the loudest times of the study (weekend mornings) there were periods where no dolphin noises were heard. "During 100s of miles of boat surveys and dozens of SCUBA dives at the artificial reef sites, none of us ever saw a dolphin, so I was completely surprised when Colin told me that he was hearing them regularly in the recordings. Using an underwater microphone provided us a unique view of what animals (including humans) are doing at these sites," said Prof. Warren.

This research was partially supported by funding from the New York State Department of Environmental Conservation.

More information: Colin Wirth et al. Overlapping use of an artificial reef by humans and an apex predator (Tursiops truncatus) in the New York Bight, *Marine Mammal Science* (2018). DOI: 10.1111/mms.12515

Provided by Stony Brook University

Citation: Reservation for two species—fisherman and dolphins are grabbing a bite at the same NY artificial reef (2018, May 25) retrieved 5 May 2024 from https://phys.org/news/2018-05-reservation-speciesfisherman-dolphins-ny-artificial.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.