

Scientists make vitamin B12 breakthrough

May 17 2018



Professor Martin Warren with Sir Roger Manwood School pupils. Credit: University of Kent

Scientists at the University of Kent have made a significant discovery about how the vitamin content of some plants can be improved to make vegetarian and vegan diets more complete.

Vitamin B12 (known as cobalamin) is an essential dietary component but

vegetarians are more prone to B12 deficiency as plants neither make nor require this nutrient.

But now a team, led by Professor Martin Warren at the University's School of Biosciences, has proved that common garden cress can indeed take up cobalamin.

The amount of B12 absorbed by garden cress is dependent on the amount present in the growth medium, and the Kent team was able to confirm B12 uptake by showing that the nutrient ends up in the leaf.

The observation that certain plants are able to absorb B12 is important as such nutrient-enriched plants could help overcome dietary limitations in countries such as India, which have a high proportion of vegetarians and may be significant as a way to address the global challenge of providing a nutrient-complete vegetarian diet, a valuable development as the world becomes increasingly meat-free due to population expansion.

The Kent scientists worked with biology teachers and year 11 and 12 pupils at Sir Roger Manwood's School in Sandwich to investigate the detection and measurement of B12 in garden cress.

The pupils grew garden cress containing increasing concentrations of vitamin B12. After seven days growth, the leaves from the seedlings were removed, washed and analysed.

The seedlings were found to absorb cobalamin from the growth medium and to store it in their leaves. To confirm this initial observation, the scientists at Kent then made a type of vitamin B12 that emits fluorescent light when activated by a laser. This fluorescent B12 was fed to the plants and it was found to accumulate within a specialised part of the leaf cell called a vacuole, providing definitive evidence that some plants can absorb and transport cobalamin.

Vitamin B12 is unique among the vitamins because it is made only by certain bacteria and therefore has to undergo a journey to make its way into more complex multi-cellular organisms. The research described in the paper highlights how this journey can be followed using the fluorescent B12 molecules, which can also be used to help understand why some people are more prone to B12-deficiency.

The discovery also has implications for combating some parasitic infections. Not only did the researchers demonstrate that some [plants](#) can absorb [vitamin](#) B12, they were also able to use the same technique to follow the movement of fluorescent B12 molecules into worms. These results demonstrate that this is a powerful model to learn about how B12 is absorbed and, as worms must use a different absorption system to mammalian systems, there is the possibility of exploiting this difference to try and treat worm-based parasites such as hook worms.

The research is now published in the journal *Cell Chemical Biology*.

More information: Andrew D. Lawrence et al, Construction of Fluorescent Analogs to Follow the Uptake and Distribution of Cobalamin (Vitamin B 12) in Bacteria, Worms, and Plants, *Cell Chemical Biology* (2018). [DOI: 10.1016/j.chembiol.2018.04.012](https://doi.org/10.1016/j.chembiol.2018.04.012)

Provided by University of Kent

Citation: Scientists make vitamin B12 breakthrough (2018, May 17) retrieved 21 May 2024 from <https://phys.org/news/2018-05-scientists-vitamin-b12-breakthrough.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.
