

Engineers design new solid polymer electrolyte, paving way for safer, smaller batteries and fuel cells

May 31 2018



The researchers' new structure self-assembles into hairpin shapes, resulting in acid-lined channels that allow for efficient transport of protons across the electrolyte. Credit: Nature Materials



Fuel cells and batteries provide electricity by generating and coaxing positively charged ions from a positive to a negative terminal which frees negatively charged electrons to power cellphones, cars, satellites, or whatever else they are connected to. A critical part of these devices is the barrier between these terminals, which must be separated for electricity to flow.

Improvements to that barrier, known as an electrolyte, are needed to make energy storage devices thinner, more efficient, safer, and faster to recharge. Commonly used liquid electrolytes are bulky and prone to shorts, and can present a fire or explosion risk if they're punctured.

Research led by University of Pennsylvania engineers suggests a different way forward: a new and versatile kind of <u>solid polymer</u> <u>electrolyte</u> (SPE) that has twice the proton conductivity of the current state-of-the-art material. Such SPEs are currently found in proton-exchange membrane fuel cells, but the researchers' new design could also be adapted to work for the lithium-ion or sodium-ion batteries found in consumer electronics.

The study, published in *Nature Materials*, was led by Karen I. Winey, TowerBrook Foundation Faculty Fellow, professor and chair of the Department of Materials Science and Engineering, and Edward B. Trigg, then a doctoral student in her lab. Demi E. Moed, an undergraduate member of the Winey lab, was a coauthor.

They collaborated with Kenneth B. Wagener, George B. Butler Professor of Polymer Chemistry at the University of Florida, Gainesville, and Taylor W. Gaines, a graduate student in his group. Mark J. Stevens, of Sandia National Laboratories, also contributed to this study, as well as Manuel Maréchal and Patrice Rannou, of the French National Center for Scientific Research, the French Alternative Energies and Atomic Energy Commission, and the Université Grenoble Alpes.



A variety of SPEs already exists. Nafion, which is widely used in protonexchange membrane fuel cells, is a sheet of flexible plastic that is permeable to protons and impermeable to electrons. After absorbing water, protons can flow through microscopic channels that span the film.

A thin, SPE like Nafion is especially enticing for fuel cells in aerospace applications, where every kilogram counts. Much of the bulk of portable batteries comes from shielding designed to protect liquid electrolytes from punctures. Systems using liquid electrolytes must separate the electrodes further apart then their solid electrolyte counterparts, as metal build-up on the electrodes can eventually cross the channel and cause a short.

Nafion addresses those problems, but there is still much room for improvement.

"Nafion is something of a fluke," Winey says. "Its structure has been the subject of debate for decades, and will likely never be fully understood or controlled."

Nafion is hard to study because its structure is random and disordered. This fluorinated polymer occasionally branches off into side chains that end with sulfonic acid groups. It's these sulfonic acids that draw in water and form the channels that allow for proton transport from one side of the film to the other. But because these side chains occur at random positions and are of different lengths, the resulting channels through the disordered polymer are a twisty maze that transports ions.

With an eye toward cutting through this maze, Winey's group recently collaborated with Stevens to discover a new proton-transporting structure that has ordered layers. These layers feature many parallel acid-lined channels through which protons can quickly flow.





The disordered structure of Nafion, left, means the path protons take through the electrolyte is hard to predict or control. The researchers' new structure, right provides a straighter path. Credit: Nafion illustration adapted from Kreuer. J., Membr. Sci. 2001, 185, 29–39, Fig. 2

"It's like superhighways versus the country roads of Provence," Winey says.

This new structure is the result of a special chemical synthesis route developed by Wagener's group at the University of Florida. This route evenly places the acid groups along a polymer chain such that the spacing between the functional groups is long enough to crystalize. The most detailed structural analysis to date was on a polymer with exactly 21 carbons atoms between carboxylic acid groups, the polymer that initiated the Penn-Florida collaboration a decade ago.

While Winey's group and Stevens were working out the structure and noting it's potential for transporting ions, Wagener's group was working



to incorporate sulfonic acid groups to demonstrate the diversity of chemical groups that could be attached to polyethylenes. Both teams realized that proton conductivity would require the stronger acid.

"Precisely placing the sulfonic acid groups along polyethylene proved to be our biggest synthetic challenge," Wagener says. "Success finally happened in the hands of Taylor Gaines, who devised a scheme we call 'heterogeneous to homogeneous deprotection' of the sulfonic acid group ester. It was this synthetic process which finally led to the formation of the precision sulfonic acid polymers."

The details of this process were also recently published in the journal Macromolecular Chemistry and Physics.

With the chains forming a series of hairpin shapes with a sulfonic acid group at each turn, the polymer assembles into orderly layers, forming straight channels instead of the tortuous maze found in Nafion.

There are, literally, still some kinks to work out. The group's next step is to orient these layers in the same direction throughout the film.

"We're already faster than Nafion by a factor of two, but we could be even faster if we aligned all of those layers straight across the electrolyte membrane," Winey says.

More than improving fuel cells where Nafion is currently employed, the crystallization-induced layers described in the researchers' study could be extended to work with functional groups compatible with other kinds of ions.

"Better proton conduction is definitely valuable, but I think the versatility of our approach is what is ultimately most important," Winey says. "There's still no sufficiently good solid electrolyte for lithium or



for hydroxide, another common <u>fuel cell</u> ion, and everyone who is trying to design new SPEs is using a very different approach than ours."

Cellphone batteries made with this type of SPE could be thinner and safer, with the superhighway-style ion channels enabled by the researchers' design, recharge much faster.

"Precision synthesis has been one of the grand challenges in polymer science, and this remarkable work demonstrates how it can open doors to novel materials of great promise," says Linda Sapochak, director of the National Science Foundation's Division of Materials Research. "NSF is excited to see that its support at both universities for this integrative collaboration has led to a synergistic breakthrough."

More information: Edward B. Trigg et al, Self-assembled highly ordered acid layers in precisely sulfonated polyethylene produce efficient proton transport, *Nature Materials* (2018). DOI: 10.1038/s41563-018-0097-2

Taylor W. Gaines et al. Precision Sulfonic Acid Polyolefins via Heterogenous to Homogenous Deprotection, *Macromolecular Chemistry and Physics* (2018). DOI: 10.1002/macp.201700634

Provided by University of Pennsylvania

Citation: Engineers design new solid polymer electrolyte, paving way for safer, smaller batteries and fuel cells (2018, May 31) retrieved 3 May 2024 from <u>https://phys.org/news/2018-05-solid-polymer-electrolyte-paving-safer.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.