


# New tool for female reproductive genetics

May 29 2018

---



The fruit fly *Drosophila melanogaster* is a powerful model organism for studying animal and human development and disease. Credit: Carnegie Institution for Science

The fruit fly *Drosophila melanogaster* is a powerful model organism for studying animal and human development and disease. It is low cost, generates rapidly, and there are many tools to genetically modify its cells. One tool is called the Gal4/UAS two-component activation system. It is a biochemical method used to study the process of turning a gene on (gene expression) and gene function. Although it has been a mainstay of *Drosophila* genetics for twenty-five years, it only functions effectively in non-reproductive cells, not in egg-producing cells. It has not been known why. Now, Carnegie's Steven DeLuca and Allan Spradling have discovered why and they have developed a new tool that can work in both cell types. The research is published in the June 2018 *Genetics*.

The Gal4 gene is a transcription factor. Transcription factors encode proteins that turn [genes](#) on. The Gal4 protein recognizes a so-called upstream activator sequence (UAS), which can induce the expression of a gene of interest. A special version of the UAS was made at the Department of Embryology in 1998, called UASp, to work during egg-cell development. But the fact that different tools are needed for non-reproductive cells and egg-forming cells has been a major limitation.

The original pUAS<sub>1</sub> vector—a molecule that ferries foreign genetic material into another cell—contains a promoter called Hsp70. As the name suggests, promoters are bits of DNA that initiate or promote gene transcription. Researchers have developed several varieties to improve its expression. Hsp70 is a member of a family of proteins with similar structures in most all living organisms and are an important for protein folding and for protecting cells from stress. The mechanisms of protein folding are vital to life and to understanding diseases.

The variations of UAS, however, did not correct the major problem of poor genetic activity in the female egg-producing system compared with non-reproductive tissues. The main stumbling block to obtaining a widely effective GAL4 vector has been the lack of understanding why

UAS<sub>t</sub> functions poorly in egg-producing cells and the lack of research comparing UAS<sub>p</sub> and UAS<sub>t</sub> promoters.

DeLuca and Spradling studied the differences between the UAS<sub>p</sub> and UAS<sub>t</sub> promoters. Their research agreed with previous reports that UAS<sub>t</sub> worked better than UAS<sub>p</sub> in all non-reproductive tissues while UAS<sub>p</sub> worked better in the female egg-producing system.

They also looked at the reason for the extremely weak UAS<sub>t</sub> expression in the female reproductive system. The evidence indicated that non-coding RNA molecules (called piRNA ) orchestrated the silencing that limited UAS<sub>t</sub> expression.

They then looked at where these UAS<sub>t</sub>-piRNAs originated by testing to see if Hsp70 piRNAs were responsible for silencing. Their results strongly indicated that UAS<sub>t</sub> is normally silenced by Hsp70 piRNAs and that UAS<sub>t</sub> is better than UAS<sub>p</sub> in cells lacking Hsp70 piRNAs.

"We next attempted to create a new version of the UAS expression vector that works well in both the non-reproductive [cells](#) and the egg-producing system," remarked DeLuca. "We hypothesized that Hsp70 piRNAs might recognize UAS<sub>t</sub> RNA to initiate piRNA silencing. To prevent Hsp70 piRNAs from recognizing UAS<sub>t</sub> RNA, we trimmed down the UAS<sub>t</sub> vector's nucleotides—the basic units of DNA and RNA—to be shorter than a single piRNA. We went from 213 nucleotides to 19 nucleotides. We named this shortened variant 'UAS<sub>z</sub>,' because we hoped it would be the last one anyone would make!"

The scientists found that UAS<sub>z</sub> was expressed about 4 times higher than UAS<sub>p</sub> at all stages in the egg-producing system.

Spradling remarked, "UAS<sub>z</sub> is a superior [expression](#) vector over UAS<sub>p</sub> in all tissues, and it is equivalent to UAS<sub>t</sub> in many, but not all, non-

reproductive tissues. It is an unequivocal upgrade for all applications. This is a major hurdle overcome for reproductive studies. We hope it will unlock the floodgates of research in this area and others."

Provided by Carnegie Institution for Science

Citation: New tool for female reproductive genetics (2018, May 29) retrieved 15 August 2024 from <https://phys.org/news/2018-05-tool-female-reproductive-genetics.html>

|  |
|--|
| <p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p> |
|--|