

Researchers track the ultrafast emergence of superconductivity

May 11 2018

UBC researchers have captured an unprecedented glimpse into the birth of high-temperature superconductivity in cuprates, settling a scientific debate and uncovering new avenues to explore the potential of other unconventional superconductors.

For this study, researchers studied cuprate unconventional superconductors, materials that begin to transition to superconductivity at a record high temperature of about -170 C. Most conventional superconductors require very low temperatures around absolute zero or -273 C. Superconductors display astonishing physical properties – such as magnetic levitation or lossless power transmission – that could lead to new technologies.

Scientists have long debated the key ingredient that enables the cuprates to become superconducting at high temperatures: Does superconductivity emerge when electrons bind together in pairs, known as Cooper pairs, or when those pairs establish macroscopic <u>phase</u> <u>coherence</u>?

Researchers at UBC's Stewart Blusson Quantum Matter Institute (SBQMI) used a state-of-the-art, ultrafast laser funded by the Gordon and Betty Moore Foundation to answer the question.

The research indicates that the presence of an attractive "glue", binding electrons into pairs, is necessary but not sufficient to stabilize the superconducting state. Rather, the Cooper pairs must behave coherently



as a whole to establish a line of communication, with a single macroscopic <u>quantum</u> phase.

"Broadly speaking, you can imagine phase coherence akin to a large ensemble of arrows all aligned in the same direction," said Fabio Boschini, lead author of the study and a postdoctoral fellow at the SBQMI. "When the Cooper pairs, sketched as arrows, point in random directions, phase coherence is lost."

The phase coherence emerges on a time scale of few hundreds of femtoseconds (one femtosecond equals one quadrillionth of a second). Leveraging the pulsed laser sources and facilities at SBQMI's new UBC-Moore Centre for Ultrafast Quantum Matter, researchers established a new investigative technique to "watch" what happens to the material's electrons during those ultrafast timescales. The effort revealed the key role of phase coherence in driving the transition into the superconducting state of copper oxides.

"Thanks to very recent advances in pulsed-laser sources we are only just beginning to visualize the dynamic properties of quantum materials," said Andrea Damascelli, leader of the research team and the scientific director of the SBQMI. "By applying these pioneering techniques, our research team aims to reveal the elusive mysteries of high-temperature superconductivity and other fascinating phenomena of quantum matter."

The study was published in Nature Materials.

More information: F. Boschini et al. Collapse of superconductivity in cuprates via ultrafast quenching of phase coherence, *Nature Materials* (2018). DOI: 10.1038/s41563-018-0045-1



Provided by University of British Columbia

Citation: Researchers track the ultrafast emergence of superconductivity (2018, May 11)

retrieved 9 April 2024 from

https://phys.org/news/2018-05-track-ultrafast-emergence-superconductivity.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.