

## Learning about the Himalayas using Mars technology

June 20 2018, by Kea Giles



Temple in the Nubra Valley of Ladakh, India, which is in the study area. The picture illustrates the enormous size and scale of the mountains in this part of the Himalayas. Credit: Wendy Bohon



The Himalayan Range includes some of the youngest and most spectacular mountains on Earth, but the rugged landscape that lends it the striking beauty for which it is known can also keep scientists from fully understanding how these mountains formed. "We know more about the rocks on parts of Mars than we do about some of the areas in the Himalaya," said Dr. Alka Tripathy-Lang.

"Many researchers have done extraordinary geologic mapping in this rugged region, but the fact is that some places are just completely inaccessible because of topography, elevation, or geopolitical issues. The rocks in those areas are an important piece of the tectonic puzzle and are important for understanding the way the region evolved," said Dr. Wendy Bohon. "The tools we used, originally developed for mapping rocks on Mars, were a way to safely access information about the rocks in the Himalayas."

Bohon and colleagues worked with researchers at the Mars Space Flight Facility at Arizona State University to use data from the Earth orbiting satellite Terra in the same way planetary geologists have been using data from the Mars orbiting satellite Odyssey.

The researchers relied on the fact that every mineral has a unique spectral "signature," where some parts of the thermal infrared spectrum are absorbed and some parts are reflected. Rocks are made of different combinations of minerals, so when all of these mineral signatures are combined, they reveal the rock type. To easily distinguish between different kinds of rocks the researchers translated these signals into red/green/blue imagery, which results in a distinguishable color for each rock type that can be used to map the distribution of rocks throughout the region.







Top: Map made using ASTER satellite data imagery. Bottom: one "stretch" - or one color combination - of the ASTER data that was used to make the map. Credit: Geological Society of America

To double-check that the colors they're mapping are truly the rock type predicted by the imagery, the researchers took hand samples from accessible locations in the study area to the laboratory and measured the spectral signatures of each rock using a thermal emission spectrometer. Then they compared these laboratory signatures to those collected from the ASTER (Advanced Spaceborne Thermal Emission and Reflection Radiometer) instrument on the Terra satellite. They matched. "There is some variation between the lab and ASTER spectral signatures due to different factors like weathering and the averaging area, but overall the match between them was surprisingly consistent," said Tripathy-Lang.

The map they created revealed some interesting geology. They were able to clearly see "suture zones"—ancient seafloor pushed up and exposed during the collision between India and Eurasia—as well as subtle differences in the granitic mountains that indicates different phases of formation. They were also able the see the intersection of two massive fault systems, the Karakoram and Longmu Co Faults. "These fault systems are hugely important to the story of the Himalayan-Tibetan collision, and determining the way that these systems have evolved and how they interact is critical for understanding this part of the Himalayan Mountains," said Bohon.





This chart shows the laboratory-collected spectral signature of two different types of rocks from the field area (shown by black lines) compared with the ASTER spectral signature of areas that displayed the color associated with that rock type in the ASTER imagery (shown with colored lines). The close match of the lines shows that the rock that was measured and identified in the laboratory is the same type of rock identified by the remote sensing data. Credit: Geological Society of America

**More information:** Wendy Bohon et al. Structural relationship between the Karakoram and Longmu Co fault systems, southwestern Tibetan Plateau, revealed by ASTER remote sensing, *Geosphere* (2018).



## DOI: 10.1130/GES01515.1

## Provided by Geological Society of America

Citation: Learning about the Himalayas using Mars technology (2018, June 20) retrieved 2 May 2024 from <u>https://phys.org/news/2018-06-himalayas-mars-technology.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.