

## Hormonal control of appetite in ants identified

June 26 2018



Evolutionary function of the "love hormone" oxytocin explored. Credit: Medical University of Vienna

Ants and humans have a lot in common at the level of genes and proteins: Numerous studies have shown that ants also possess the genetic



basis of a hormone system based on the neuropeptides oxytocin and vasopressin, which, for instance, contribute to the formation of social bonds and the regulation of the water homeostasis in humans. An Austrian research team led by Christian Gruber from the Institute of Pharmacology at MedUni Vienna has now elucidated the function of this signalling system in ants. The scientists demonstrate that the oxytocinvasopressin hormone system regulates foraging, locomotor activity and metabolism in ants.

The central result of the study, which has now been published in the renowned *FASEB Journal*: When the researchers "switched off" the release of the <u>oxytocin</u>-like neuropeptide inotocin to prevent signal transduction, the <u>ants</u> became more active, showed higher walking activity and started looking for food. At the same time, the expression of certain metabolic genes was altered. Conversely, one could expect that with an increased oxytocin level, the activity and foraging of ants would decrease. "This notion has been studied in mammals: Mice and rats that received intranasal oxytocin administrations exhibited a long-term weight loss," reports Gruber. "Oxytocin also suppresses calorie intake in men based on a study that has recently been published – and now we may have discovered the evolutionary function of this <u>hormone</u> system and can try to elucidate its mechanism in detail."

## **Exploring 600 million years of evolution**

It is fascinating that this hormone system and oxytocin-vasopressin signalling, in certain aspects, has not changed over the past 600 million years. Oxytocin- and vasopressin-like neuropeptides and their related receptors are widespread among the many thousands of insect species. The advantages of these evolutionary similarities between humans and insects could now be used biomedically. "Along the evolution of this signalling system, we were able to define biochemical details of the oxytocin-vasopressin-like hormone system in ants. It is an important



discovery for biology, and there is a lot to be learned for biomedical research in the future," explains Gruber.

Recent findings in this scientific field could eventually lead to the development of an anti-obesity drug. In any case, it is thought that oxytocin influences food preference in humans through its effect on the hypothalamus and at the same time it appears to increase fat metabolism. However, there is currently no such clinical application or specific medication available. In addition, it must be clarified whether this effect is gender-specific and whether oxytocin administration is generally suitable for long-term weight loss in humans.

**More information:** Zita Liutkevičiūtė et al. Oxytocin-like signaling in ants influences metabolic gene expression and locomotor activity, *The FASEB Journal* (2018). DOI: 10.1096/fj.201800443

## Provided by Medical University of Vienna

Citation: Hormonal control of appetite in ants identified (2018, June 26) retrieved 3 May 2024 from <u>https://phys.org/news/2018-06-hormonal-appetite-ants.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.