

Designer materials with completely random structures might enable quantum computing

June 4 2018



Randomly sprinkled magnetic atoms (red arrows) on a superconducting surface may give rise to a topological superconducting phase. Inset: The onset of the topological phase is signaled by the appearance of so-called Majorana edge mode encircling the system. Credit: Teemu Ojanen

Designing quantum materials with exotic and unprecedented electrical



properties has the field of physics teeming with buzz. Researchers at Aalto University in Finland have now introduced a significant turn in this discussion by developing an amorphous material which exhibits topological superconductivity. Until this point, these materials have required highly regular structures to show desired electrical properties.

The findings, published in *Nature Communications*, bring the field one step closer to application. Topological superconductors and insulators are considered to be possible building blocks of lossless components for <u>quantum</u> computers. While topological superconductors might not exist in nature, they can be fabricated, as the study demonstrates.

"We have presented a method of fabricating topological <u>materials</u> in amorphous systems with randomly placed constituents. This means we can achieve superconductivity in the material by sprinkling magnetic atoms on a superconducting surface completely at random, not in highlydefined and ornamented lattices, for example," explains doctoral student Kim Pöyhönen.

The recent boom on topological superconductors stems mainly from an unconventional quantum-level phenomenon, a collective movement of many individual particles called Majorana fermion excitations. They have been envisioned as critical ingredients of <u>topological quantum</u> <u>computers</u>.

"Getting highly irregular, random systems to work as <u>topological</u> <u>superconductors</u> will potentially make their fabrication and manufacture much more convenient compared to current methods," says research group leader, Docent Teemu Ojanen.

Perhaps for now, the implications of the random quantum material verge only on fundamental research, but that might not be the case for much longer.



"For topological quantum matter to find its way to actual applications, it's imperative we find even more new candidates for amorphous topological materials," states Ojanen.

More information: Kim Pöyhönen et al. Amorphous topological superconductivity in a Shiba glass, *Nature Communications* (2018). <u>DOI:</u> <u>10.1038/s41467-018-04532-x</u>

Provided by Aalto University

Citation: Designer materials with completely random structures might enable quantum computing (2018, June 4) retrieved 2 May 2024 from <u>https://phys.org/news/2018-06-materials-random-enable-quantum.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.