

# Research identifies how snowshoe hares evolved to stay seasonally camouflaged

June 21 2018

---



Mismatched snowshoe hare in its white winter coat. Credit: L. Scott Mills Research

Many animals have evolved fur or feather colors to blend in with the environment and hide from predators. But how do animals stay camouflaged when their environment changes with each new season? Researchers at the University of Montana recently discovered that hybridization played an important role in snowshoe hares' ability to match their environment.

An international scientific team led by UM Associate Professor Jeffrey Good and graduate student Matthew Jones set out to discover how snowshoe hares have evolved to molt to a white coat in areas with prolonged winter snow cover while populations from mild coastal environments of the Pacific Northwest retain brown fur year-round.

"Like other seasonal traits, the autumn molt in snowshoe hares is triggered by changes in day length," Good said. "But the color of their winter coat is determined by [genetic variation](#) that has been shaped by evolution to match the local presence or absence of snow."

In a new article published in the journal *Science*, Good's team discovered that the development of brown or white winter coats in snowshoe hares is controlled by genetic variation at a single pigmentation gene that is activated during the autumn molt.

"This result is exciting because it shows that critical adaptive shifts in seasonal camouflage can evolve through changes in the regulation of a single gene," Jones said.

The genetic discovery came with a surprising twist.





Brown and white snowshoe hare in their winter coats at a University of Montana research facility. Credit: L. Scott Mills Research

"When we looked at the same gene in other closely related [species](#)," Jones said, "we found that the brown version of the gene in snowshoe hares was recently acquired from interbreeding with black-tail jackrabbits, another North American species that remains brown in the winter."

Hybridization between species has played a key role in the development of many domestic plants and animals, and recent research suggests that it is also surprisingly common in nature. In snowshoe hares, hybridization with black-tailed jackrabbits provided critical coat color variation needed to adapt to coastal areas where winter snow is ephemeral or absent. But what does this mean for snowshoe hares going forward?





Museum specimens of snowshoe hares at different stages of their molt taken at the Slater Museum of Natural History. Credit: Katherine Zarn

"Brown winter coats are currently rare across the range of snowshoe hares," Good said. "If [snow cover](#) continues to decrease due to climate change, brown [winter](#) coats may become more common in the future and play a critical role in the resilience of this species. These discoveries are helping us understand how organisms adapt to rapidly changing environments."

**More information:** M.R. Jones et al., "Adaptive introgression underlies polymorphic seasonal camouflage in snowshoe hares," *Science* (2018). [science.sciencemag.org/cgi/doi ... 1126/science.aar5273](https://science.sciencemag.org/cgi/doi/10.1126/science.aar5273)

Provided by University of Montana

Citation: Research identifies how snowshoe hares evolved to stay seasonally camouflaged (2018, June 21) retrieved 27 April 2024 from <https://phys.org/news/2018-06-snowshoe-hares-evolved-seasonally-camouflaged.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--