

Chemicals that keep drinking water flowing may also cause fouling

July 25 2018, by Lois Yoksoulian







The top image shows a thin and stiff biofilm formed from untreated water, and the bottom image shows a thick and soft biofilm that formed as a result of polyphosphate treatment. Credit: Helen Nguyen

Many city drinking water systems add softening agents to keep plumbing free of pipe-clogging mineral buildup. According to new research, these additives may amplify the risk of pathogen release into drinking water by weakening the grip that bacteria—like those responsible for Legionnaires' disease—have on pipe interiors.

Biofilms, which are similar to the films that grow on the glass of fish tanks, are present in almost all <u>plumbing systems</u> and anchor themselves to mineral scale buildups in pipes. They are teeming with harmless microbial life and incidents of waterborne illness are rare.

"The groundwater that supplies many cities may be high in magnesium and calcium," said Helen Nguyen, a professor of civil engineering and coauthor of the study. "When combined with other elements, they can form thick deposits of mineral scale that clog up engineered water systems. Because of this, <u>water treatment plants</u> add chemicals called polyphosphates to dissolve the minerals to keep the scale buildup under control."

A recent study by co-author and civil and environmental engineering professor Wen-Tso Liu has shown that even with the addition of antimicrobial agents by water companies, the bacteria that grow on the mineral scale can reproduce to harmful levels in supplies that stagnate within indoor plumbing.

In a new study published in the journal *Biofilms and Microbiomes*, a team of University of Illinois engineers shows that the addition of anti-



scalant chemicals cause the biofilms to grow thicker and become softer.

The team measured the thickness and stiffness of lab-grown biofilms using magnetomotive optical coherence elastography—a tool used to measure the strength of cancer tissues. The analytical method, developed by Stephen Boppart, a professor of electrical and computer engineering and study co-author, allowed the team to quantify the effect that polyphosphate has on the strength of biofilms.



Civil and environmental engineering professor Helen Nguyen has found that water-softening additives may increase the risk of pathogen release into drinking water by weakening the grip that bacteria have on pipe interiors. Credit: L. Brian Stauffer.



To reproduce what happens in engineered plumbing systems, the team used PVC pipe and groundwater from the Champaign-Urbana area source to grow biofilms. They set up multiple scenarios with and without added polyphosphates. All scenarios produced biofilms, but the system that used polyphosphates grew a much thicker and softer biofilms than the others, the researchers said.

"Increased <u>biofilm</u> thickness means more bacteria, and the softening increases the chance that pieces will detach and foul the water supply under normal flow pressure," Nguyen said. "Tap water is regulated by the Environmental Protection Agency up to the property line, not the tap. So, in buildings where water has been stagnating for a while, this could become a public health issue."

A problem, according to researchers, is that some sort of anti-scalant chemical is required to maintain adequate water flow through pipes. "Of course, one solution could be to replace pipes once they become clogged with mineral buildup," Nguyen said. "But that would be a very expensive endeavor for public utilities and property owners in a country as large as the United States."

Nguyen believes that the most affordable and realistic solution will come through a better understanding of water chemistry, not by trying to kill all microbes, ripping out pipes or changing regulations.

"Before this work, we did not have a good understanding of the relationship between the water chemistry and microbiome that exists in plumbing. This work has given us initial insight and tools to help determine what chemicals will work best and at what concentration," Nguyen said.

The team is moving ahead with related studies that look at ways to help physically remove biofilms while pipes remain in place and others that



look at the effects of anti-corrosive chemicals on biofilms and water quality.

"We will not be able to control how long a <u>drinking water</u> user will allow water to stagnate, but we can work to understand how the chemicals we add to our <u>water</u> interact with biofilms."

More information: Yun Shen et al, Effect of divalent ions and a polyphosphate on composition, structure, and stiffness of simulated drinking water biofilms, *npj Biofilms and Microbiomes* (2018). DOI: 10.1038/s41522-018-0058-1

Provided by University of Illinois at Urbana-Champaign

Citation: Chemicals that keep drinking water flowing may also cause fouling (2018, July 25) retrieved 1 May 2024 from <u>https://phys.org/news/2018-07-chemicals-fouling.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.