


Chemists characterize the fatal fungus among us

July 19 2018, by Alison Satake



LSU chemists have identified the cell wall structure of one of the most common

and deadly airborne fungi, *Aspergillus fumigatus*. Credit: Centers for Disease Control

Life-threatening fungal infections affect more than two million people worldwide. Effective antifungal medications are very limited. Until now, one of the major challenges is that the fungal cell wall is poorly understood, which has impeded the development of effective antifungal medications that target the cell wall. However, an LSU chemist has identified for the first time the cell wall structure of one of the most prevalent and deadly fungi, which could usher in a new era of antifungal drug development to help save millions of lives.

LSU Department of Chemistry Assistant Professor Tuo Wang and colleagues have identified the high-resolution architecture of the [cell wall](#) of one of the most common fungi, *Aspergillus fumigatus*. *Aspergillus fumigatus* is airborne and can be found indoors and outdoors. In people with compromised immune systems, the fungi multiplies at an extraordinary rate. It affects more than 200,000 people annually including a quarter of all leukemia patients, and kills more than half of these patients.

"This is the first time anyone has looked at the whole cell of this fungi in its native state at such high resolution. Our work provides the molecular basis to engineer more effective antifungal drugs," Wang said.

His research was published this week in the journal *Nature Communications*. The LSU research team includes postdoctoral fellow Xue Kang, graduate students Alex Kirui and Malitha Dickwella Widanage, and undergraduate researcher Adrian Chen.

The scientists identified that *Aspergillus fumigatus* has a semi-waterproof

core comprised of two types of stiff sugar molecules that is bridged by some highly branched sugars and coated by a layer of a sugar-protein mixture that constantly moves and undulates. The scientists pinpointed this structure by analyzing the fungi through dynamic nuclear polarization solid-state nuclear magnetic resonance spectroscopy at the National High Magnetic Field Laboratory in Tallahassee, FL. This method provides an unprecedented sensitivity and resolution to view the packing of molecules in native [cells](#), without perturbation.

Next, Wang and colleagues will test the efficacy of various antifungal drugs against *Aspergillus fumigatus* in his lab at LSU. Also, they are characterizing other fungi in collaboration with Professor of Pediatrics and Microbiology Ping Wang in the Department of Microbiology, Immunology and Parasitology at the LSU Health Sciences Center in New Orleans.

"I want to share the structure and characterization of underinvestigated complex carbohydrates because they are large, complex and difficult to understand. We are also establishing a method for rapidly screening the drug effects of various fatal [fungi](#) and guiding the development of better medicines," said Wang at LSU.

More information: Xue Kang et al, Molecular architecture of fungal cell walls revealed by solid-state NMR, *Nature Communications* (2018). [DOI: 10.1038/s41467-018-05199-0](https://doi.org/10.1038/s41467-018-05199-0)

Provided by Louisiana State University

Citation: Chemists characterize the fatal fungus among us (2018, July 19) retrieved 27 April 2024 from <https://phys.org/news/2018-07-chemists-characterize-fatal-fungus.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.