


Fibre-optic transmission of 4000 km made possible by ultra-low-noise optical amplifiers

July 5 2018



Signal constellation diagrams comparing conventional amplification and phasesensitive amplification in an amplifier noise limited regime (-2 dBm launch power) and a fibre nonlinearity limited regime (8 dBm launch power). Credit: Samuel Olsson

Researchers from Chalmers University of Technology, Sweden, and Tallinn University of Technology, Estonia, have demonstrated a 4000 kilometre fibre-optical transmission link using ultra low-noise, phasesensitive optical amplifiers. This is a reach improvement of almost six times what is possible when using conventional optical amplifiers. The



results are published in Nature Communications.

Video streaming, cloud storage and other online services have created an insatiable demand for higher transmission capacity. To meet this demand, new technologies capable of significant improvements over existing solutions are being explored worldwide.

The reach and capacity in today's fibre optical transmission links are both limited by the accumulation of noise, originating from <u>optical</u> <u>amplifiers</u> in the link, and by the signal distortion from nonlinear effects in the <u>transmission</u> fibre. In this ground-breaking demonstration, the researchers showed that the use of phase-sensitive amplifiers can significantly, and simultaneously, reduce the impact of both of these effects.

"While there remain several engineering challenges before these results can be implemented commercially, the results show, for the first time, in a very clear way, the great benefits of using these amplifiers in optical communication," says Professor Peter Andrekson, who leads the research on optical communication at Chalmers University of Technology.

The amplifiers can provide a very significant reach improvement over conventional approaches, and could potentially improve the performance of future fibre-optical <u>communication</u> systems.

"Such amplifiers may also find applications in quantum informatics and related fields, where generation and processing of quantum states are of interest, as well as in spectroscopy or any other application which could benefit from ultra-low-noise amplification," says Professor Peter Andrekson.

More information: Samuel L.I. Olsson et al. Long-haul optical



transmission link using low-noise phase-sensitive amplifiers, *Nature Communications* (2018). DOI: 10.1038/s41467-018-04956-5

Provided by Chalmers University of Technology

Citation: Fibre-optic transmission of 4000 km made possible by ultra-low-noise optical amplifiers (2018, July 5) retrieved 2 May 2024 from <u>https://phys.org/news/2018-07-fibre-optic-transmission-km-ultra-low-noise-optical.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.